Author index

ABE, M. see AKIYAMA, M.

ABENAVOLI, L., LEGGIO, L., FERRULLI, A., VONGHIA, L., GASBARRINI, G. & ADDOLORATO, G. Association between psoriasis and coeliac disease, 1393

ABURATANI, H. see LIU, H-J.

ABUZAHRA, F., KOVACS, S., BEERMANN, T., MERK, H.F. & FRANK, J. Treatment of relapsing idiopathic nodular panniculitis with clofazimine, 582

ABUZAHRA, F. see SOKOLOWSKA-WOJDYLO, M.

ADACHI, A. see ZHENG, S.

ADDOLORATO, G. see ABENAVOLI, L.

AGNER, T. see CVETKOVSKI, R.S.

AGNER, T. see HELD, E.

AGUILAR-BERNIER, M., BASSAS-VILA, J., SANZ-MUÑOZ, C. & MIRANDA-ROMERO, A. Successful treatment of pruritus with topical tacrolimus in a patient with primary biliary cirrhosis, 808

AHMED, I. see WINHOVEN, S.M.

AHN, H.K. see PARK, C.W.

AHN, H-H. see JEON, J.

AKASAKA, T. see SAEKI, H.

AKBAR, A.N. see BIRCH, K.E.

AKENGIN, A. see FLUHR, J.W.

AKIYAMA, H. see YAMASAKI, O.

AKIYAMA, M., TSUJI-ABE, Y., YANAGIHARA, M., NAKAJIMA, K., KODAMA, H., YAOSAKA, M., ABE, M., SAWAMURA, D. & SHIMIZU, H. Ichthyosis bullosa of Siemens: its correct diagnosis facilitated by molecular genetic testing, 1353

AKIYAMA, M. see KAWASAKI, H.

ALBEROLA, I. see REDONDO, P.

ALDANA-JAMMAYRAC, O. see QUEKENBORN-TRINQUET, V.

ALFAIOLI, B. see DE GIORGI, V.

ALFAIOLI, B. see STANTE, M.

ALISON, D. see MACHET, L.

ALLONES, I. see TRELLES, M.A.

ALTMEYER, P. see KREUTER, A.

AMBRETTI, S. see LA PLACA, M.

ANCIAN, P. see QUEKENBORN-TRINQUET, V.

ANDERSON, R.T. see FELDMAN, S.R.

ANDREAE, J., GALLE, C., MAGDORF, K., STAAB, D., MEYER, L., GOLDMAN, M. & QUERFELD, U. Severe atherosclerosis of the aorta and development of peripheral T-cell lymphoma in an adolescent with angiolymphoid hyperplasia with eosinophilia, 1033

ANDREASSI, L. see BURRONI, M.

ANDREASSI, L. see RUBEGNI, P.

ANDREESEN, R. see KONUR, A.

ANG, P. see GOH, B.K.

ANTONIOU, C. see STEFANAKI, C.

ARAGONÀ, P., CANNAVÒ, S.P., BORGIA, F. & GUARNERI, F. Utility of studying the ocular surface in patients with acne vulgaris treated with oral isotretinoin: a randomized controlled trial, 576

ARASE, S. see MURAO, K.

ARGYRAKOS, T. see STEFANAKI, C.

ARLET-SUAU, E. see ASTUDILLO, L.

ARMSTRONG, K. *The Skin & Systemic Disease* (2003) Mark G. Lebwohl and Clara Kest. 2nd Edition., 197

ARMSTRONG, K. Rook's Textbook Of Dermatology (2004) Seventh Edition. Eds Tony Burns, Stephen Breathnach, Neil Cox, Christopher Griffiths. Blackwell Publishing, Oxford. Hardback., 828

ARNOLD, A. see BELTRAMINELLI, H.S.

ARSHAD, S.H. see STAINER, R.

ASADA, H. see OKAZAKI, A.

ASANO, Y. see MIMURA, Y.

ASPLUND, A., GUSTAFSSON, A.C., WIKONKAL, N.M., SELA, A., LEFFELL, D.J., KIDD, K., LUNDEBERG, J., BRASH, D.E. & PONTÉN, F. PTCH codon 1315 polymorphism and risk for nonmelanoma skin cancer, 868

ASTUDILLO, L., RECHER, C., LAUNAY, F., LAMANT, L., BROUSSET, P. & ARLET-SUAU, E. Malignant lymphoma presenting as cutaneous granulomatous vasculitis, 820

ATHERTON, D.J. see KINSLER, V.A.

ATHERTON, D.J. see OZANIC BULIC, S.

AUBIN, F., VIGAN, M., PUZENAT, E., BLANC, D., DROBACHEFF, C., DEPREZ, P., HUMBERT, P. & LAURENT, R. Evaluation of a novel 308-nm monochromatic excimer light delivery system in dermatology: a pilot study in different chronic localized dermatoses, 99

AUBIN, F. see PELLETIER, F.

AUDRING, H. see LINNEMANN, T.

AUGSBURGER, E. see LEBEAU, S.

AUQUIER, P. see GROB, J.J.

AUTIER, J., PICARD-DAHAN, C., MARINHO, E., GROSSIN, M., YENI, P., LEPORT, C., VILDÉ, J-L., CRICKX, B. & DESCAMPS, V. Docetaxel in anthracycline-pretreated AIDS-related Kaposi's sarcoma: a retrospective study, 1026

AVRIL, M-F. see MAUBEC, E.

AYOUB, J. see MACHET, L.

AZZI, A. see FERRI, C.

BACCARELLI, A., PESATORI, A.C., COMSONNI, D., MOCARELLI, P., PATTERSON JR, D.G., CAPORASO, N.E., BERTAZZI, P.A. & LANDI, M.T. Health status and plasma dioxin levels in chloracne cases 20 years after the Seveso, Italy accident, 459

BACHOLLET, B. see MAUBEC, E.

BAIRD-SNELL, M. see STAINER, R.

BAJDIK, C.D. see KENNEDY, C.

BALA, M. see FELDMAN, S.R.

BALDURSSON, B. see IMPOLA, U.

BANDELLONI, R. see DRAGO, F.

BARBINI, P. see BURRONI, M.
BARKER, J.N.W.N. see HICKEY, J.R.
BARKER, J.N.W.N. see STOVER, C.
BARRETT, S. see STOVER, C.
BARTRALOT, R., GARCÍA-PATOS, V., SITJAS, D., RODRÍGUEZ-CANO, L., MOLLET, J., MARTÍN-CASABONA, N., COLL, P., CASTELLS, A. & PUJOL, R.M. Clinical patterns of cutaneous nontuberculous mycobacterial infections, 727
BASSAS-VILA, J. see AGUILAR-BERNIER, M.
BAUER, J., BLUM, A., STROHHÄCKER, U. & GARBE, C. Surveillance of patients at high risk for cutaneous malignant melanoma using digital dermoscopy, 87
BEATTIE, P.E., FINLAN, L.E., KERNOHAN, N.M., THOMSON, G., HUPP, T.R. & IBBOTSON, S.H. The effect of ultraviolet (UV) A1, UVB and solar-simulated radiation on p53 activation and $p21^{Waf1/Cip1}$, 1001
BECKER, D. see LÖFFLER, H.
BEERMANN, T. see ABUZAHRA, F.
BELL, H.K., POSTON, G.J., VORA, J. & WILSON, N.J.E. Cutaneous manifestations of the malignant carcinoid syndrome, 71
BELLAVISTA, S. see TOSTI, A.
BELTRAMINELLI, H.S., LERCH, M., ARNOLD, A., BIRCHER, A.J. & HAEUSERMANN, P. Acute generalized exanthematous pustulosis induced by the antifungal terbinafine: case report and review of the literature, 780
BENATTI, P. see PONTI, G.
BEN-PORAT, L. see HALE, E.K.
BERDONDINI, R.M. see MANCUSO, G.
BERGER, C. see KOPERA, D.
BERMONT, L. see PELLETIER, F.
BERNARD, B.A. see THIBAUT, S.
BERTAZZI, P.A. see BACCARELLI, A.
BERTI, M. see LEBEAU, S.
BESSIS, D. see GIRARD, C.
BETTERMANN, A. see ITO, T.
BEYLOT, C. see BEYLOT-BARRY, M.
BEYLOT-BARRY, M., PARRENS, M., DELAUNAY, M., THIEBAULT, R., VERGIER, B., DEMASCAREL, A., DUBUS, P., BEYLOT, C. & MERLIO, J.P. Is bone marrow biopsy necessary in patients with mycosis fungoides and Sézary syndrome? A histological and molecular study at diagnosis and during follow-up, 1378
BHOL, K.C. & SCHECHTER, P.J. Topical nanocrystalline silver cream suppresses inflammatory cytokines and induces apoptosis of inflammatory cells in a murine model of allergic contact dermatitis, 1235
BHUTTO, A.M., SHAIKH, A. & NONAKA, S. Incidence of xeroderma pigmentosum in Larkana, Pakistan: a 7-year study, 545
BIAGI, J. see BRENNAND, S.
BIAGIOLI, M. see DE NISI, M.C.
BIANCHI, T. see LA PLACA, M.
BIEBER, T. see REITAMO, S.
BIEBER, T. see SOKOLOWSKA-WOJDYLO, M.
BIGLER, R.D. see VONDERHEID, E.C.
BIONDO, S. see COLLINS, F.
BIRCH, K.E., VUKMANOVIC-STEJIC, M., REED, J.R., AKBAR, A.N. & RUSTIN, M.H.A. The immunomodulatory effects of regulatory T cells: implications for immune regulation in the skin, 409
BIRCHER, A.J. see BELTRAMINELLI, H.S.
BITO, T. see KUNISADA, M.
BLACK, P.N. see PURVIS, D.J.
BLAIR, R. see MALIK, R.
BLANC, D. see AUBIN, F.
BLANC, D. see PELLETIER, F.
BLASCHKE, B. see REIFENBERGER, J.
BLATIÈRE, V. see GIRARD, C.
BLECHA-THALHAMMER, U. see RADAKOVIC-FIJAN, S.
BLEWITT, R.W. Single genetic mutations can account for melanocytic naevi, 896
BLUM, A. see BAUER, J.
BOECKLER, P., MILEA, M., MEYER, A., URING-LAMBERT, B., HEID, E., HAUPTMANN, G., CRIBIER, B. & LIPSKER, D. The combination of complement deficiency and cigarette smoking as risk factor for cutaneous lupus erythematosus in men; a focus on combined C2/C4 deficiency, 265
BOEGHEIM, J.P.J. see LUCKER, G.P.H.
BOEHNCKE, W.H. see BRILL, T.J.
BOEHNCKE, W-H. see THAÇI, D.
BONVICINI, F. see LA PLACA, M.
BOON, A.P. see LENS, M.B.
BORALEVI, F. see COGREL, O.
BORGIA, F. see ARAGONA, P.
BORK, K. Pruritus precipitated by hydroxyethyl starch: a review, 3
BORNKESSEL, A. see FLUHR, J.W.
BORRADORI, L. see LAFFITTE, E.
BORRADORI, L. see LEBEAU, S.
BOS, J.D., DE RIE, M.A., TEUNISSEN, M.B.M. & PISKIN, G. Psoriasis: dysregulation of innate immunity, 1098
BOS, J.D. see REITAMO, S.
BOSCH, X. see GUILABERT, A.
BOSON, W. see CURY, V.F.
BOUHANNA, P. see THIBAUT, S.
BOUWES BAVINCK, J.N. see KENNEDY, C.
BOWER, M. see STEBBING, J.
BOWMAN, E. see SOKOLOWSKA-WOJDYLO, M.
BOYMAN, O., CONRAD, C., DUDLI, C., KIELHORN, E., NICKOLOFF, B.J. & NESTLE, F.O. Activation of dendritic antigen-presenting cells expressing common heat shock protein receptor CD91 during induction of psoriasis, 1211
BRASCH, J. see LÖFFLER, H.
BRASH, D.E. see ASPLUND, A.
DE BREE, E., VOLALAKIS, E., TSETIS, D., VARTHALITIS, Y., PANAGIOTIDIS, J., ROMANOS, J. & TSIFTSIS, D.D. Treatment of advanced malignant eccrine poroma with locoregional chemotherapy, 1051

BRENNAND, S., SUTTON, V.R., BIAGI, J., TRAPANI, J.A., WESTERMAN, D., MCCORMACK, C.J., SEYMOUR, J.F., KENNEDY, G. & PRINCE, H.M. Lack of apoptosis of Sézary cells in the circulation following oral bexarotene therapy, 1199
BRENNER, M.J. see CHINNAIYAN, P.
BREUER, K., GUTZMER, R., VÖLKER, B., KAPP, A. & WERFEL, T. Therapy of noninfectious granulomatous skin diseases with fumaric acid esters, 1290
BRILL, T.J., LUDWIG, R.J., WOLTER, M., OESCHGER, S., THAÇI, D., BOEHNCKE, W.H. & KAUFMANN, R. Complicated mycosis fungoides mimicking facial erysipelas, 1381
BRINK, A.A.T.P. see KIRTSCHIG, G.
BRITTON, J. see HAILEAMLAK, A.
BRÖCKER, E-B. see LEVERKUS, M.
BROUSSET, P. see ASTUDILLO, L.
BROWN, T. see COENRAADS, P.J.
BROWN, V.L. see HARWOOD, C.A.
BRUCKNER-TUDERMAN, L. see CSIKÓS, M.
BRUIJNZEEL, P.L.B. see RIJKEN, F.
BRUSATI, C. see DRAGO, F.
BU, D.F. see JIANG, W.
BUCKLEY, C.C. see CUSACK, C.M.
BUDIYANTO, A. see KUNISADA, M.
BULL, J.J., PELENGARIS, S., HENDRIX, S., CHRONNELL, C.M.T., KHAN, M. & PHILPOTT, M.P. Ectopic expression of c-Myc in the skin affects the hair growth cycle and causes an enlargement of the sebaceous gland, 1125
BURCZYNSKI, F.J. see GU, X.
BURDEN, A.D. see MACDONALD, A.
BURDEN, D. see STOVER, C.
BUREAU, J-P. see STOEBNER, P-E.
BURG, G. see GILLIET, M.
BURG, G. see KEMPF, W.
BURKHARD, P.R. see LAFFITTE, E.
BURKHART, C.G. The ubiquitous presence of warts on human skin needs acknowledgement for better direction of papillomavirus research, 393
BURRONI, M., SBANO, P., CEVENINI, G., RISULO, M., DELL'EVA, G., BARBINI, P., MIRACCO, C., FIMIANI, M., ANDREASSI, L. & RUBEGNI, P. Dysplastic naevus vs. in situ melanoma: digital dermoscopy analysis, 679
BURRONI, M. see RUBEGNI, P
BURROWS, N.P. see DIBA, V.C.
BURROWS, P. see CHALMERS, R.J.G.

DE CABO, C. see POBLET, E.
CABRERA-PAZ, R. see RODRÍGUEZ GARCÍA, F.
CAILLIER, P. see THAUVIN-ROBINET, C.
CAIREY-REMONNAY, S. see PELLETIER, F.
CALONGE, E. see WONG, T.
CALZA, A-M. & LÜBBE, J. Tacrolimus ointment-associated alcohol intolerance in infants receiving ethanol-containing medication, 569
CAMBAZARD, F. see REITAMO, S.
CAMPOLMI, P. see MAVILIA, L.
CANNAVÒ, S.P. see ARAGONA, P.
CANNELL, D.W. see THIBAUT, S.
CAPORASO, N.E. see BACCARELLI, A.
CAPPUGI, P. see MAVILIA, L.
CARELLI, G. see DE GIORGI, V.
CARILLO, S. see STOEBNER, P-E.
CARLI, P. see DE GIORGI, V.
CARLI, P. see STANTE, M.
CASAZZA, S. see DRAGO, F.
CASTELLS, A. see BARTRALOT, R.
CAYUELA, A., RODRÍGUEZ-DOMÍNGUEZ, S., LAPETRA-PERALTA, J. & CONEJO-MIR, J.S. Has mortality from malignant melanoma stopped rising in Spain? Analysis of trends between 1975 and 2001, 997
CECCARELLI, C. see MISCIALI, C.
CERIO, R., HARWOOD, C., NICHOLSON, S., MCANDREW, L., WELLS, P. & MOIR, G.C. Sentinel node biopsy in the management of primary cutaneous melanoma, 176
CESINARO, A.M. see PELLACANI, G.
CEVENINI, G. see BURRONI, M.
CHAI, B. see ZHANG, Z.H.
CHALMERS, R.J.G., KIRBY, B., SMITH, A., BURROWS, P., LITTLE, R., HORAN, M., HEXTALL, J.M., SMITH, C.H., KLABER, M. & ROGERS, S. Replacement of routine liver biopsy by procollagen III aminopeptide for monitoring patients with psoriasis receiving long-term methotrexate: a multicentre audit and health economic analysis, 444
CHAN, S.Y. see MUKHOPADHYAY, A.
CHANG, S-E. see LEE, H-W.
CHANG, Y-T. see LIN, M-W.
CHAO, S-C., RICHARD, G. & LEE, J.Y-Y. Netherton syndrome: report of two Taiwanese siblings with staphylococcal scalded skin syndrome and mutation of *SPINK5*, 159
CHAPMAN, A. see SINCLAIR, R.
CHARMAN, C.R. & ENGLISH, J.S. Getting to grips with hand eczema: measuring skin disease severity objectively, 199
CHEN, G-S. see LAN, C-C.E.
CHEN, G-Y., LEE, J-Y. & CHEN, W-C. Sclerotic and retracted supravenous hyperpigmentation associated with combination chemotherapy for metastatic breast carcinoma, 1383
CHEN, J.J. see GAO, M.
CHEN, K., CRAIG, J.C. & SHUMACK, S. Oral retinoids for the prevention of skin cancers in solid organ transplant recipients: a systematic review of randomized controlled trials, 518
CHEN, Q-J. see LIU, H-J.
CHEN, W. see ZHANG, Z.H.
CHEN, W-C. see CHEN, G-Y.
CHEN, X.X. see JIANG, W.
CHENEY, R.T. see ZEITOUNI, N.C.
CHERILL, R. see GOTTLIEB, A.B.
CHERILL, R. see WOLFF, K.
CHIA, J.S. see SUN, A.
CHIANG, C.P. see SUN, A.
CHIMENTI, S. see COSTANZO, A.

CHINNAIYAN, P., TENA, L.B., BRENNER, M.J. & WELSH, J.S. Modern external beam radiation therapy for refractory dissecting cellulitis of the scalp, 777
CHO, B-K. see PARK, H-J.
CHO, S.B., ROH, M.R., YUN, M., YUN, S-K., LEE, M.G. & CHUNG, K.Y. ^{18}F-fluorodeoxyglucose positron emission tomography detection of eccrine porocarcinoma, 372
CHOFFLON, M. see LAFFITTE, E.
CHOI, J-H. see LEE, H-W.
CHRISTOFIDOU, E. see RIGOPOULOS, D.
CHRISTOPHERS, E. see FOLSTER-HOLST, R.
CHRONNELL, C.M.T. see BULL, J.J.
CHU, C-Y. The use of 1% pimecrolimus cream for the treatment of steroid-induced rosacea, 396
CHUNG, K.Y. see CHO, S.B.
CHUNG, K-Y. see PARK, S-G.
CLARK, A.R. see FELDMAN, S.R.
CLARK, C., MCINTYRE, P.G., EVANS, A., MCINNES, C.J. & LEWIS-JONES, S. Human sealpox resulting from a seal bite: confirmation that sealpox virus is zoonotic, 791
CLARK, C. see MALIK, R.
CLARK, P.M. see PURVIS, D.J.
CLAYTON, T.H. & HARRISON, P.V. Successful treatment of chronic ulcerated necrobiosis lipoidica with 0·1% topical tacrolimus ointment, 581
CLAYTON, T.H. & STABLES, G.I. Reactivation of ophthalmic herpes zoster following pulsed-dye laser treatment for inflammatory acne vulgaris, 569
CLAYTON, W.J., LIPTON, M., ELFORD, J., RUSTIN, M. & SHERR, L. A randomized controlled trial of laser treatment among hirsute women with polycystic ovary syndrome, 986
CLOT, J. see GUILLOT, B.
COEBERGH, J.W.W. see DE VRIES, E.
COENRAADS, P.J., VAN DER WALLE, H., THESTRUP-PEDERSEN, K., RUZICKA, T., DRENO, B., DE LA LOGE, C., VIALA, M., QUERNER, S., BROWN, T. & ZULTAK, M. Construction and validation of a photographic guide for assessing severity of chronic hand dermatitis, 296
COGREL, O., BORALEVI, F., LEPREUX, S., VERGIER, B., MERLIO, J.P., TAIEB, A. & LÉAUTÉ-LABRÈZE, C. Lymphomatoid annular erythema: a new form of juvenile mycosis fungoides, 565
COLERIDGE SMITH, P.D. see DEGIORGIO-MILLER, A.M.
COLL, P. see BARTRALOT, R.
COLLIN, J.R.O. see HILL, V.A.
COLLIN, P. see HERVONEN, K.
COLLINS, D.M. see GU, X.
COLLINS, F., BIONDO, S. & SINCLAIR, R. Tendency to underestimate the severity of androgenetic alopecia: reply from authors, 1363
COLMENERO, I. see IGLESIAS, C.
COLQUITT, J.L. see GREEN, C.
COMBEMALE, P., CONSORT, T., DENIS-THELIS, L., ESTIVAL, J-L., DUPIN, M. & KANITAKIS, J. Cannabis arteritis, 166
COMSONNI, D. see BACCARELLI, A.
CONEJO-MIR, J.S. see CAYUELA, A.
CONRAD, C. see BOYMAN, O.
CONSORT, T. see COMBEMALE, P.
CONSTANTINIDOU, V-V. see STEFANAKI, C.
COORS, E.A. & VON DEN DRIESCH, P. Treatment of mycosis fungoides with bexarotene and psoralen plus ultraviolet A, 1379
COPELAND, P. see ORMEROD, A.D.
CORAS, B., VOGT, TH., ULRICH, H., LANDTHALER, M & HOHENLEUTNER, U. Fumaric acid esters therapy: a new treatment modality in pityriasis rubra pilaris?, 388
CORBEAU, P. see GUILLOT, B.
CORBETT, M. Diagnostic Criteria in dermatology, 594
CORMACK, G.C. see DIBA, V.C.
COROAS, A. see MAGINA, S.
CORRAL DE LA CALLE, M., MARTÍN DÍAZ, M.A., FLORES, C.R. & VIDAURRAZAGA, C. Acute localized exanthematous pustulosis secondary to levofloxacin, 1076
COSTA, J.E. see CURY, V.F.
COSTANZO, A., MAZZOTTA, A., PAPOUTSAKI, M., NISTICÒ, S. & CHIMENTI, S. Safety and efficacy study on etanercept in patients with plaque psoriasis, 187
COTTER, M. see TOBIN, A.M.
COZZIO, A. see GILLIET, M.
CRAIG, J.C. see CHEN, K.
CRIBIER, B. see BOECKLER, P.
CRIBIER, B. see SCHULZE, H.J.
CRICKX, B. see AUTIER, J.
CROMBIE, I.K. see MAN, I.
CROSS, H.S. see MEINDL, S.
CSIKÓS, M., SZŐCS, H.I., LÁSZIK, A., MECKLENBECK, S., HORVÁTH, A., KÁRPÁTI, S. & BRUCKNER-TUDERMAN, L. High frequency of the 425A → G splice-site mutation and novel mutations of the *COL7A1* gene in central Europe: significance for future mutation detection strategies in dystrophic epidermolysis bullosa, 879
CUI, F. see ZHANG, Z.H.
CUI, Y. see GAO, M.
CUNLIFFE, W.J. see STRAUSS, R.M.
CUNLIFFE, W.J. see ZAGHLOUL, S.S.
CURY, V.F., GOMEZ, R.S., COSTA, J.E., FRIEDMAN, E., BOSON, W. & DE MARCO, L. A homozygous cathepsin C mutation associated with Haim–Munk syndrome, 353
CUSACK, C.M. & BUCKLEY, C.C. Efficacy of issuing guidelines on acne management to general practitioners, 1392
CUSIN, V. see THAUVIN-ROBINET, C.
CVETKOVSKI, R.S., ROTHMAN, K.J., OLSEN, J., MATHIESEN, B., IVERSEN, L., JOHANSEN, J.D. & AGNER, T. Relation between diagnoses on severity, sick leave and loss of job among patients with occupational hand eczema, 93
CZARNECKI, D. see VINCIULLO, C.

D'AMURI, A. see DE NISI, M.C.
DANDURAND, M. see STOEBNER, P-E.
DAS, S. see MANCHANDA, Y.

DAVEY SMITH, G. see GALOBARDES, B.
DAVIDSON, P. see GREEN, C.
DAVIS, M.D.P. see SCIALLIS II, G.F.
DAWE, R.S. see MAN, I.
DAWSON, K. see ZEITOUNI, N.C.
DE LA LOGE, C. see COENRAADS, P.J.
DE MARCO, L. see CURY, V.F.
DE NISI, M.C., D'AMURI, A., LALINGA, A.V., OCCHINI, R., BIAGIOLI, M. & MIRACCO, C. Posttransplant primary cutaneous CD30(Ki-1)-positive anaplastic large T-cell lymphoma. A case report, 1068
DE SCHEPPER, S. see ONGENAE, K.
DEGOIS, G. see MAUBEC, E.
DEL OLMO, J. see REDONDO, P.
DEL RIO, E. see VIEITES, B.
DELAUNAY, M. see BEYLOT-BARRY, M.
DELL'EVA, G. see BURRONI, M.
DELLALIBERA-JOVILIANO, R. see ROSATELLI, T.B.
DEMARCHEZ, M. see QUEKENBORN-TRINQUET, V.
DEMASCAREL, A. see BEYLOT-BARRY, M.
DENIS-THELIS, L. see COMBEMALE, P.
DEPREZ, P. see AUBIN, F.
DEREURE, O. see GUILLOT, B.
DEROUIN, F. see LACROIX, C.
DERVAN, P.A. see MCARDLE, L.
DESCAMPS, V. see AUTIER, J.
DETMAR, M. see YANO, K.
DEVECI, M., GILMONT, R.R., DUNHAM, W.R., MUDGE, B.P., SMITH, D.J. & MARCELO, C.L. Glutathione enhances fibroblast collagen contraction and protects keratinocytes from apoptosis in hyperglycaemic culture, 217
DI GREGORIO, C. see PONTI, G.
DIBA, V.C., CORMACK, G.C. & BURROWS, N.P. Botulinum toxin is helpful in aquagenic palmoplantar keratoderma, 394
DOHERTY, V.R. see MURRAY, C.S.
DONADI, E.A. see ROSATELLI, T.B.
DONZEL, A. see THAUVIN-ROBINET, C.
DOOLEY, L.T. see FELDMAN, S.R.
DRAGO, F., NOZZA, P., CASAZZA, S., BRUSATI, C., BANDELLONI, R. & REBORA, A. Human herpesviruses in bullous pemphigoid lesions, 375
DRENO, B. see COENRAADS, P.J.
VON DEN DRIESCH, P. see COORS, E.A.
DROBACHEFF, C. see AUBIN, F.
DU THANH, A. see GUILLOT, B.
DUBUS, P. see BEYLOT-BARRY, M.
DUDLI, C. see BOYMAN, O.
DULLER, P. see EVERS, A.W.M.
DUNHAM, W.R. see DEVECI, M.
DUPIN, M. see COMBEMALE, P.
DUVILLARD, P. see MAUBEC, E.

EASTY, D.J. see MCARDLE, L.
EBISE, H. see SUGIURA, H.
EDMONDSON, S.R., THUMIGER, S.P., KAUR, P., LOH, B., KOELMEYER, R., LI, A., SILHA, J.V., MURPHY, L.J., WRAIGHT, C.J. & WERTHER, G.A. Insulin-like growth factor binding protein-3 (IGFBP-3) localizes to and modulates proliferative epidermal keratinocytes *in vivo*, 225
EDWARDS, A.M. see STAINER, R.
EEDY, D.J. & ENGLISH, J.S.C. Updates from the British Association of Dermatologists 84th Annual Meeting, 6–9 July 2004, Belfast, U.K., 13
EEDY, D.J. A new-look BJD, 1
EGAWA, K., EGAWA, N. & HONDA, Y. Human papillomavirus-associated plantar epidermoid cyst related to epidermoid metaplasia of the eccrine duct epithelium: a combined histological, immunohistochemical, DNA–DNA *in situ* hybridization and three-dimensional reconstruction analysis, 961
EGAWA, K. Eccrine-centred distribution of human papillomavirus 63 infection in the epidermis of the plantar skin, 993
EGAWA, N. see EGAWA, K.
EICHENBAUM, M.S. see HALE, E.K.
EISENDLE, K. & FRITSCH, P. Fatal fulminant legionnaires' disease in a patient with severe erythodermic psoriasis treated with infliximab after long-term steroid therapy, 585
EISSNER, G. see KONUR, A.
ELAM, M. see KROGSTAD, A.L.
ELBE-BÜRGER, A. see MEINDL, S.
ELFORD, J. see CLAYTON, W.J.
ELLIOTT, T. see VINCIULLO, C.
ELSNER, P. see FLUHR, J.W.
ELSNER, P. see WEBER, A.
EMADY-AZAR, S. see GOTTLIEB, A.B.
EMADY-AZAR, S. see WOLFF, K.
EMING, S.A. see HIRCHE, D.
ENGH, V. see LANGELAND, T.
ENGLISH, J.S. see CHARMAN, C.R.
ENGLISH, J.S.C. see EEDY, D.J.
ERDMANN, S. see SOKOLOWSKA-WOJDYLO, M.
ESTIVAL, J-L. see COMBEMALE, P.
EVANS, A. see CLARK, C.
EVANS, A. see LEMAN, J.A.
EVANS, D.M., KIRK, K.M., NYHOLT, D.R., NOVAC, C. & MARTIN, N.G. Teenage acne is influenced by genetic factors, 579
EVANS, R. see FELDMAN, S.R.
EVERS, A.W.M., LU, Y., DULLER, P., VAN DER VALK, P.G.M., KRAAIMAAT, F.W. & VAN DE KERKHOF, P.C.M. Common burden of chronic skin diseases? Contributors to psychological distress in adults with psoriasis and atopic dermatitis, 1275
EVERS, S. see STÄNDER, S.

FABBRI, P. see REITAMO, S.
FAGUNDO GONZÁLEZ, E. see RODRÍGUEZ GARCÍA, F.
FAIVRE, L. see THAUVIN-ROBINET, C.
FAN, P.S. see MAYUZUMI, N.
FANTI, P.A. see MISCIALI, C.
FASSIHI, H. see OZANIC BULIC, S.
FELDMAN, S.R., CLARK, A.R., VENKAT, A.P., FLEISCHER, A.B., ANDERSON, R.T. & RAJAGOPALAN, R.

The Self-Administered Psoriasis Area and Severity Index provides an objective measure of psoriasis severity, 382
FELDMAN, S.R., GORDON, K.B., BALA, M., EVANS, R., LI, S., DOOLEY, L.T., GUZZO, C., PATEL, K., MENTER, A. & GOTTLIEB, A.B. Infliximab treatment results in significant improvement in the quality of life of patients with severe psoriasis: a double-blind placebo-controlled trial, 954
FELDMEYER, L., PLANTARD, L., MEVORAH, B., HUBER, M. & HOHL, D. Novel mutation of connexin 31 causing erythrokeratoderma variabilis, 1072
FERGUSON, J. see MAN, I.
FERRÁNDIZ, C. see SCHULZE, H.J.
FERRI, C., AZZI, A. & MAGRO, C.M. Parvovirus B19 and systemic sclerosis, 819
FERRULLI, A. see ABENAVOLI, L.
FEUILHADE DE CHAUVIN, M. see LACROIX, C.
FIMIANI, M. see BURRONI, M.
FINE, J-D., JOHNSON, L.B., WEINER, M. & SUCHINDRAN, C. Impact of inherited epidermolysis bullosa on parental interpersonal relationships, marital status and family size, 1009
FINLAN, L.E. see BEATTIE, P.E.
FINLAY, A.Y. see KATUGAMPOLA, R.P.
FINLAY, A.Y. Current severe psoriasis and the Rule of Tens, 861
FLEISCHER, A.B. see FELDMAN, S.R.
FLEMING, C. see WOLFF, K.
FLOHR, C., PASCOE, D. & WILLIAMS, H.C. Atopic dermatitis and the 'hygiene hypothesis': too clean to be true?, 202
FLORES, C.R. see CORRAL DE LA CALLE, M.
FLUHR, J.W., BORNKESSEL, A., AKENGIN, A., FUCHS, S., NORGAUER, J., KLEESZ, P., GRIESHABER, R. & ELSNER, P. Sequential application of cold and sodium lauryl sulphate decreases irritation and barrier disruption *in vivo* in humans, 702
FLUHR, J.W., PRAESSLER, J., AKENGIN, A., FUCHS, S.M., KLEESZ, P., GRIESHABER, R. & ELSNER, P. Air flow at different temperatures increases sodium lauryl sulphate–induced barrier disruption and irritation *in vivo*, 1228
FOGEL, P. see QUEKENBORN-TRINQUET, V.
FOLSTER-HOLST, R., STOLL, M., KOCH, W.A., HAMPE, J., CHRISTOPHERS, E. & SCHREIBER, S. Lack of association of SPINK5 polymorphisms with nonsyndromic atopic dermatitis in the population of Northern Germany, 1365
FÖLSTER-HOLST, R. see REITAMO, S.
FONTAO, L. see LAFFITTE, E.
FONTAO, L. see LEBEAU, S.
FOOTE, K.D. see STAINER, R.
FORTEZA, J. see VIEITES, B.
FRANCIS, D. see VINCIULLO, C.
FRANK, J. see ABUZAHRA, F.
FRENCH, L.E. see POURNARAS, C.C.
FRIEDMAN, E. see CURY, V.F.
FRIEDMANN, A.C. see HUBBARD, V.G.
FRIEDMANN, P.S. see JOSEPH, T.
FRIEDMANN, P.S. see ROBERTSHAW, H.
FRITSCH, P. see EISENDLE, K.
FUCHS, S. see FLUHR, J.W.
FUCHS, S.M. see FLUHR, J.W.
FUJII, H. see SUZUKI, R.
FUJIMOTO, M. see YAMADA, T.
FUKAI, K. see SUZUKI, T.
FURUE, M. see LIU, H-J.
FURUE, M. see SAEKI, H.
FURUE, M. see YAMAGUCHI, T.

GAFFAL, E. see SOKOLOWSKA-WOJDYLO, M.
GAILLARD, O. see THIBAUT, S.
GALACHE OSUNA, C. see SANTOS-JUANES, J.
GALLE, C. see ANDREAE, J.
GALOBARDES, B., DAVEY SMITH, G., JEFFREYS, M. & MCCARRON, P. Has acne increased? Prevalence of acne history among university students between 1948 and 1968. The Glasgow Alumni Cohort Study, 824
GAMBICHLER, T. see KREUTER, A.
GAO, M., YANG, S., LI, M., YAN, K.L., JIANG, Y.X., CUI, Y., XIAO, F.L., SHEN, Y.J., CHEN, J.J., LIU, J.B., XU, S.J., HUANG, W. & ZHANG, X.J. Refined localization of a punctate palmoplantar keratoderma gene to a 5·06-cM region at 15q22.2–15q22.31, 874
GARBE, C. see BAUER, J.
GARCÍA BUSTINDUY, M. see RODRÍGUEZ GARCÍA, F.
GARCIA DIEZ, A. see SCHULZE, H.J.
GARCÍA-DÍEZ, A. see GARCÍA-RIO, I.
GARCÍA-PATOS, V. see BARTRALOT, R.
GARCÍA-RIO, I., PEÑAS, P.F., GARCÍA-DÍEZ, A., MCLEAN, W.H.I. & SMITH, F.J.D. A severe case of pachyonychia congenita type I due to a novel proline mutation in keratin 6a, 800
GARRETT, E.L. see ROGERS, P.J.
GASBARRINI, G. see ABENAVOLI, L.
GAWKRODGER, D.J. *Dermatology Quick Glance* (2004) Jaffer SN, Quereshi AA. New York: McGraw Hill., 197
GAZZARD, B. see STEBBING, J.
GEBAUER, K. see VINCIULLO, C.
VAN GEEL, M. see VAN STEENSEL, M.A.M.
GEIER, J. see LÖFFLER, H.
GELLRICH, S. see LINNEMANN, T.
GIBLIN, A-V. see MEIRION THOMAS, J.
GILLIET, M., COZZIO, A., BURG, G. & NESTLE, F.O. Successful treatment of three cases of nephrogenic fibrosing dermopathy with extracorporeal photopheresis, 531
GILMONT, R.R. see DEVECI, M.
DE GIORGI, V., MASSI, D., SESTINI, S., ALFAIOLI, B., CARELLI, G. & CARLI, P. Cutaneous collision tumour (melanocytic naevus, basal cell carcinoma, seborrhoeic keratosis): a clinical, dermoscopic and pathological case report, 787
DEGIORGIO-MILLER, A.M., TREHARNE, L.J., MCANULTY, R.J., COLERIDGE SMITH, P.D., LAURENT, G.J. & HERRICK, S.E. Procollagen type I gene expression and cell proliferation are increased in lipodermatosclerosis, 242
GIORGI, V. see STANTE, M.
GIRARD, C., BESSIS, D., BLATIÈRE, V., GUILHOU, J-J. & GUILLOT, B. Meyerson's phenomenon induced by interferon-alfa plus ribavirin in hepatitis C infection, 182

GIRAUDEAU, B. see MACHET, L.
GOEBELER, M. see LEVERKUS, M.
GOH, B.K., ANG, P. & GOH, C.L. Darier's disease in Singapore, 284
GOH, C.L. see GOH, B.K.
GOLDMAN, M. see ANDREAE, J.
GOLDSMITH, L.A. see SATTINGER, A.M.
GOLDSMITH, P. see HUBBARD, V.G.
GOMEZ, R.S. see CURY, V.F.
GOODFIELD, M.J.D. see ZAGHLOUL, S.S.
GORDON, K.B. see FELDMAN, S.R.
GOTO, M. see KAWASAKI, H.
GOTTLIEB, A.B., GRIFFITHS, C.E.M., HO, V.C., LAHFA, M., MROWIETZ, U., MURRELL, D.F., ORTONNE, J-P., TODD, G., CHERILL, R., MARKS, I., EMADY-AZAR, S. & PAUL, C.F. for the Multi-Centre Investigator Group. Oral pimecrolimus in the treatment of moderate to severe chronic plaque-type psoriasis: a double-blind, multicentre, randomized, dose-finding trial, 1219
GOTTLIEB, A.B. see FELDMAN, S.R.
GOULDEN, V. see STRAUSS, R.M.
GRASES, F., PERELLÓ, J., ISERN, B. & PRIETO, R.M. Study of a *myo*-inositol hexaphosphate-based cream to prevent dystrophic calcinosis cutis, 1022
GREEN, C., COLQUITT, J.L., KIRBY, J. & DAVIDSON, P. Topical corticosteroids for atopic eczema: clinical and cost effectiveness of once-daily vs. more frequent use, 130
GREEN, C.A. see MAURICE, P.D.L.
GREGORIOU, S. see RIGOPOULOS, D.
GREGORY, T. see STAINER, R.
GRIESHABER, R. see FLUHR, J.W.
GRIFFITHS, C.E.M. see GOTTLIEB, A.B.
GRIFFITHS, C.E.M. see MURRAY, A.K.
GRIFFITHS, C.E.M. see NALDI, L.
GRIFFITHS, C.E.M. see PAPP, K.A.
GRIFFITHS, C.E.M. see QUEKENBORN-TRINQUET, V.
GRIFFITHS, C.E.M. Ciclosporin in psoriasis consensus statement: reply from authors, 811
GROB, J.J., REVUZ, J., ORTONNE, J.P., AUQUIER, P. & LORETTE, G. Comparative study of the impact of chronic urticaria, psoriasis and atopic dermatitis on the quality of life, 289
GROENHOEJ LARSEN, C. see REITAMO, S.
GROSSIN, M. see AUTIER, J.
GROVER, S. A study of patterns of androgenetic alopecia in men: an Indian perspective, 572
DE GRUIJL, F.R. see DE VRIES, E.
DE GRUIJL, F.R. see JANSSENS, A.S.
GU, X., WANG, T., COLLINS, D.M., NASICHAYANULA, S. & BURCZYNSKI, F.J. *In vitro* evaluation of concurrent use of commercially available insect repellent and sunscreen preparations, 1263
GUARNERI, F. see ARAGONA, P.
GUILABERT, A., BOSCH, X., JULIÀ, M., IRANZO, P. & MASCARÓ, J.M.JR Pegylated interferon alfa-induced sarcoidosis: two sides of the same coin, 377
GUILHOU, J-J. see GIRARD, C.
GUILLOT, B., PORTALÈS, P., DU THANH, A., MERLET, S., DEREURE, O., CLOT, J. & CORBEAU, P. The expression of cytotoxic mediators is altered in mononuclear cells of patients with melanoma and increased by interferon-α treatment, 690
GUILLOT, B. see GIRARD, C.
GUIRAUD, I. see STOEBNER, P-E.
GUO, J-M. see ZHANG, X-N.
GUPTA, G. see KERR, A.C.
GUSTAFSSON, A.C. see ASPLUND, A.
GUTZMER, R. see BREUER, K.
GUZZO, C. see FELDMAN, S.R.

HAAS, J. see KOPERA, D.
HADDINGTON, N.J. see ROGERS, P.J.
HAENDLE, I. see HERTL, M.S.
HAEUSERMANN, P. see BELTRAMINELLI, H.S.
HAILEAMLAK, A., LEWIS, S.A., BRITTON, J., VENN, A.J., WOLDEMARIAM, D., HUBBARD, R. & WILLIAMS, H.C. Validation of the International Study of Asthma and Allergies in Children (ISAAC) and U.K. criteria for atopic eczema in Ethiopian children, 735
HAKAMATA, Y. see YAMAGUCHI, Y.
HALE, E.K., STEIN, J., BEN-PORAT, L., PANAGEAS, K.S., EICHENBAUM, M.S., MARGHOOB, A.A., OSMAN, I., KOPF, A.W. & POLSKY, D. Association of melanoma and neurocutaneous melanocytosis with large congenital melanocytic naevi—results from the NYU–LCMN registry, 512
HALPERN, A.C. see PARASKEVAS, L-R.
HALTIA, M. see KIURU-ENARI, S.
HAMANAKA, S., NAKAZAWA, S., YAMANAKA, M., UCHIDA, Y. & OTSUKA, F. Glucosylceramide accumulates preferentially in lamellar bodies in differentiated keratinocytes, 426
HAMM, H. see SEITZ, C.S.
HAMPE, J. see FOLSTER-HOLST, R.
HAN, H.J. see PARK, C.W.
HANAKAWA, Y., HANAKAWA, Y., TOHYAMA, M., YAMASAKI, K. & HASHIMOTO, K. Xylitol as a causative agent of oral erosive eczema, 821
HANAKAWA, Y., SHIRAKATA, Y., NAGAI, H., YAHATA, Y., TOKUMARU, S., YAMASAKI, K., TOHYAMA, M., SAYAMA, K. & HASHIMOTO, K. Cre-loxP adenovirus-mediated foreign gene expression in skin-equivalent keratinocytes, 1391
HANAKAWA, Y. see HANAKAWA, Y.
HANIFIN, J. see WOLFF, K.
HARADA, S. see YAMADA, T.
HARLAND, C.C. see HERN, S.
HARPER, J.I. see HILL, V.A.
HARRISON, P.V. see CLAYTON, T.H.
HARVIMA, I.T. see HUTTUNEN, M.
HARWOOD, C. see CERIO, R.
HARWOOD, C.A., PERRETT, C.M., BROWN, V.L., LEIGH, I.M., MCGREGOR, J.M. & PROBY, C.M. Imiquimod cream 5% for recalcitrant cutaneous warts in immunosuppressed individuals, 122

HASEGAWA, A. see KASHIMA, M.
HASEGAWA, T. see MURAMATSU, S.
HASHIMOTO, K. see HANAKAWA, Y.
HASHIMOTO, K. see HANAKAWA, Y.
HASHIZUME, H., HORIBE, T., OHSHIMA, A., ITO, T., YAGI, H. & TAKIGAWA, M. Anxiety accelerates T-helper 2-tilted immune responses in patients with atopic dermatitis, 1161
HASSAN, A.S. see HOFER, A.
HATTA, N. see YAMADA, M.
HATTORI, N. see KAWASAKI, H.
HAUPTMANN, G. see BOECKLER, P.
HAWK, J.L.M. see KINSLER, V.A.
HAYHURST, J. see ROGERS, P.J.
HE, X-H. see ZHANG, X-N.
HE, X-L. see ZHANG, X-N.
HECKMANN, M. see WEBER, A.
HEGER, S. see WEBER, A.
HEID, E. see BOECKLER, P.
HELD, E., SKOET, R., JOHANSEN, J.D. & AGNER, T. The hand eczema severity index (HECSI): a scoring system for clinical assessment of hand eczema. A study of inter- and intraobserver reliability, 302
HENDRIX, S. see BULL, J.J.
HENKEL, V. see MÖHRENSCHLAGER, M.
HENNINGSEN, J. see JOHANSEN, C.
HENRY, L. see STOEBNER, P-E.
HEREMANS, A.M.C. see LUCKER, G.P.H.
HERLYN, M. see MCARDLE, L.
HERN, S., STANTON, A.W.B., MELLOR, R.H., HARLAND, C.C., LEVICK, J.R. & MORTIMER, P.S. *In vivo* quantification of the structural abnormalities in psoriatic microvessels before and after pulsed dye laser treatment, 505
HERN, S., STANTON, A.W.B., MELLOR, R.H., HARLAND, C.C., LEVICK, J.R. & MORTIMER, P.S. Blood flow in psoriatic plaques before and after selective treatment of the superficial capillaries, 60
HERRICK, A.L. see MURRAY, A.K.
HERRICK, S.E. see DEGIORGIO-MILLER, A.M.
HERTL, M. see HERTL, M.S.
HERTL, M.S., HAENDLE, I., SCHULER, G. & HERTL, M. Rapid improvement of recalcitrant disseminated granuloma annulare upon treatment with the tumour necrosis factor-α inhibitor, infliximab, 552
HERVONEN, K., VORNANEN, M., KAUTIAINEN, H., COLLIN, P. & REUNALA, T. Lymphoma in patients with dermatitis herpetiformis and their first-degree relatives, 82
HEXTALL, J.M. see CHALMERS, R.J.G.
HICKEY, J.R., ROBSON, A., BARKER, J.N.W.N. & SMITH, C.H. Does topical tacrolimus induce lentigines in children with atopic dermatitis? A report of three cases, 152
HIDE, M. see SAEKI, H.
HIGGINS, E.M. see SHORT, K.A.
HILL, V.A., NISCHAL, K.K., COLLIN, J.R.O. & HARPER, J.I. An unusual ectodermal dysplasia with unique eye defects, 365
HINTZ, C. see KÖLLNER, K.
HIRAGA, M. see YAMADA, T.
HIRCHE, D., RUBBERT, A., LUNAU, L., KRIEG, T. & EMING, S.A. Successful treatment of refractory rheumatoid arthritis-associated leg ulcerations with adalimumab, 1062
HIROKAWA, Y. see SHIMAUCHI, T.
HIROSE, Y. see SAEKI, H.
HO, V.C. see GOTTLIEB, A.B.
HOCHDORFER, B. see KREUTER, A.
HOEGER, P.H. see TSIANAKAS, A.
HOETZENECKER, W. see MEINDL, S.
HOFER, A., HASSAN, A.S., LEGAT, F.J., KERL, H. & WOLF, P. Optimal weekly frequency of 308-nm excimer laser treatment in vitiligo patients, 981
HOHENLEUTNER, U. see CORAS, B.
HOHENLEUTNER, U. see KÖLLNER, K.
HOHL, D. see FELDMEYER, L.
HOLLAK, C.E.M. see LINTHORST, G.E.
HOLLER, E. see KONUR, A.
HOLMES, S. see MALIK, R.
HONDA, Y. see EGAWA, K.
HONG, Y-K. see YANO, K.
HONGBO, Y. see KATUGAMPOLA, R.P.
HÖNIGSMANN, H. see RADAKOVIC-FIJAN, S.
HORAN, M. see CHALMERS, R.J.G.
HORIBE, T. see HASHIZUME, H.
HORVÁTH, A. see CSIKÓS, M.
HOSOKAWA, K. see YAMAGUCHI, Y.
HOU, J.S. see VONDERHEID, E.C.
HSIAO, K-J. see LIN, M-W.
HUANG, C-Y. see LIN, M-W.
HUANG, W. see GAO, M.
HUANG, W. see ZHANG, Z.H.
HUBBARD, R. see HAILEAMLAK, A.
HUBBARD, V.G., FRIEDMANN, A.C. & GOLDSMITH, P. Systemic pyoderma gangrenosum responding to infliximab and adalimumab, 1059
HUBER, M. see FELDMEYER, L.
HUET, F. see THAUVIN-ROBINET, C.
HUI, S.W. see WONG, T-W.
HUMBERT, P. see AUBIN, F.
HUMBERT, P. see PELLETIER, F.
HUMMEL, M. see HUSAK, R.
HUNZELMANN, N. see MÜLLER, F.B.
HUPP, T.R. see BEATTIE, P.E.
HUSAK, R., ZOUBOULIS, C.C., SANDER-BÄHR, C., HUMMEL, M. & ORFANOS, C.E. Refractory human papillomavirus-associated oral warts treated topically with 1–3% cidofovir solutions in human immunodeficiency virus type 1-infected patients, 590
HUTCHINSON, P.E. see SLADDEN, M.J.
HUTCHINSON, P.E. see SLADDEN, M.J.
HUTTUNEN, M. & HARVIMA, I.T. Mast cell tryptase and chymase in chronic leg ulcers: chymase is potentially destructive to epithelium and is controlled by proteinase inhibitors, 1149

IBBOTSON, S.H. see BEATTIE, P.E.
IBBOTSON, S.H. see MAN, I.
IGLESIAS, C., TORRELO, A., COLMENERO, I., MEDIERO, I.G., ZAMBRANO, A. & REQUENA, L. Isolated multiple congenital epithelioid blue naevus, 391
IHN, H. see MIMURA, Y.
IIZUKA, H. see SAEKI, H.
IKEDA, S. see MAYUZUMI, N.
IMAKADO, S. see MURAMATSU, S.
IMPOLA, U., JESKANEN, L., RAVANTI, L., SYRJÄNEN, S., BALDURSSON, B., KÄHÄRI, V-M. & SAARIALHO-KERE, U. Expression of matrix metalloproteinase (MMP)-7 and MMP-13 and loss of MMP-19 and p16 are associated with malignant progression in chronic wounds, 720
INAGAKI, K. see SUZUKI, T.
INOUE, T. see SUDA, T.
IOANNIDES, D. see RIGOPOULOS, D.
IORIZZO, M. see MISCIALI, C.
IORIZZO, M. see TOSTI, A.
IRANZO, P. see GUILABERT, A.
IRVINE, A.D. see TOBIN, A.M.
ISERN, B. see GRASES, F.
ISHIHARA, T. see MATSUSHITA, S.
ISMAIL, F., O'TOOLE, E.A., MCGREGOR, J.M. & KHORSHID, S.M. Unusual distribution of punctate dysplastic keratoses and skin cancers in sunbed users: a report of three cases, 1374
ITAMI, S. see YAMAGUCHI, Y.
ITO, M. see KASHIMA, M.
ITO, M. see KIZAWA, K.
ITO, N. see ITO, T.
ITO, T., ITO, N., SAATHOFF, M., BETTERMANN, A., TAKIGAWA, M. & PAUS, R. Interferon-γ is a potent inducer of catagen-like changes in cultured human anagen hair follicles, 623
ITO, T. see HASHIZUME, H.
IVERSEN, L. see CVETKOVSKI, R.S.
IVERSEN, L. see JOHANSEN, C.
IWATSUKI, K. see YAMASAKI, O.

JANSSENS, A.S., PAVEL, S., OUT-LUITING, J.J., WILLEMZE, R. & DE GRUIJL, F.R. Normalized ultraviolet (UV) induction of Langerhans cell depletion and neutrophil infiltrates after artificial UVB hardening of patients with polymorphic light eruption, 1268
JÄRVHOLM, B. see MEDING, B.
JASPARS, E.H. see KIRTSCHIG, G.
JAUNIN, F. see LAFFITTE, E.
JEFFREYS, M. see GALOBARDES, B.
JEON, J., LEE, H-S., AHN, H-H., KYE, Y-C. & KIM, S-N. Human papillomavirus 60-positive epidermal cyst and wart at a nonpalmoplantar location, 1361
JEONG, E. see PARK, H-J.
JESKANEN, L. see IMPOLA, U.
JIANG, F.X. see ZHANG, Z.H.
JIANG, W., SUN, Y., LI, S., CHEN, X.X., BU, D.F. & ZHU, X.J. Two novel heterozygous mutations in COL7A1 in a Chinese patient with recessive dystrophic epidermolysis bullosa of Hallopeau–Siemens type, 1357
JIANG, Y.X. see GAO, M.
JIMBOW, K. see SAGA, K.
JIMENEZ, F. see POBLET, E.
JINNIN, M. see MIMURA, Y.
JOHANSEN, C., KRAGBALLE, K., WESTERGAARD, M., HENNINGSEN, J., KRISTIANSEN, K. & IVERSEN, L. The mitogen-activated protein kinases p38 and ERK1/2 are increased in lesional psoriatic skin, 37
JOHANSEN, J.D. see CVETKOVSKI, R.S.
JOHANSEN, J.D. see HELD, E.
JOHNSON, L.B. see FINE, J-D.
JOLLEY, D. see SINCLAIR, R.
JOSEPH, T., KURIAN, J., WARWICK, D.J. & FRIEDMANN, P.S. Unilateral remission of psoriasis following traumatic nerve palsy, 185
JOUJOUX, J-M. see STOEBNER, P-E.
JULIÀ, M. see GUILABERT, A.

KADOYA, K. see YANO, K.
KAGESHITA, T. see MATSUSHITA, S.
KÄHÄRI, V-M. see IMPOLA, U.
KAJIYA, K. see YANO, K.
KAMBE, N. see SUZUKI, R.
KAMIO, Y. see YAMASAKI, O.
KANEKO, J. see YAMASAKI, O.
KANEKURA, T., MERA, Y., MERA, K., SARUWATARI, H. & KANZAKI, T. Efficacy of transdermal nicotine patches for eosinophilic pustular folliculitis, 1074
KANITAKIS, J. see COMBEMALE, P.
KANO, R. see KASHIMA, M.
KANZAKI, T. see KANEKURA, T.
KAPP, A. see BREUER, K.
KARENTZOU, O. see STEFANAKI, C.
KÁRPÁTI, S. see CSIKÓS, M.
KARUBE, K. see YAMAGUCHI, T.
KASAGI, F. see SAEKI, H.
KASHIMA, M., KANO, R., MIKAMI, Y., TAKAHAMA, H., ITO, M., HASEGAWA, A. & MIZOGUCHI, M. A successfully treated case of mycetoma due to *Nocardia veterana*, 1349
KASICHAYANULA, S. see GU, X.
KATO, N. see YASUKAWA, K.
KATO, S. see MEINDL, S.
KATSAMBAS, A. see RIGOPOULOS, D.
KATSAMBAS, A. see STEFANAKI, C.
KATUGAMPOLA, R.P., HONGBO, Y. & FINLAY, A.Y. Clinical management decisions are related to the impact of psoriasis on patient-rated quality of life, 1256
KAUFMANN, R. see BRILL, T.J.
KAUFMANN, R. see THAÇI, D.
KAUR, I. see KUMAR, B.

KAUR, P. see EDMONDSON, S.R.
KAUTIAINEN, H. see HERVONEN, K.
KAWADA, H. see MAYUZUMI, N.
KAWAGUCHI, M., MITSUHASHI, Y. & KONDO, S. Overexpression of tumour necrosis factor-α-converting enzyme in psoriasis, 915
KAWAI, K. CD56-negative blastic natural killer-cell lymphoma (agranular CD4+/CD56+ haematodermic neoplasm)?, 369
KAWANO, R. see YAMAGUCHI, T.
KAWASAKI, H., SAWAMURA, D., NAKAZAWA, H., HATTORI, N., GOTO, M., SATO-MATSUMURA, K.C., AKIYAMA, M. & SHIMIZU, H. Detection of 1733insC mutations in an Asian family with Birt–Hogg–Dubé syndrome, 142
KAYA, G. & SAURAT, J-H. Restored epidermal CD44 expression in lichen sclerosus et atrophicus and clinical improvement with topical application of retinaldehyde, 570
KEE, S.H. see LEE, K.M.
KEMPF, W., KUTZNER, H., KETTELHACK, N., PALMEDO, G. & BURG, G. Paraneoplastic pityriasis lichenoides in cutaneous lymphoma: case report and review of the literature on paraneoplastic reactions of the skin in lymphoma and leukaemia, 1327
KENNEDY, C., BAJDIK, C.D., WILLEMZE, R. & BOUWES BAVINCK, J.N. Chemical exposures other than arsenic are probably not important risk factors for squamous cell carcinoma, basal cell carcinoma and malignant melanoma of the skin, 194
KENNEDY, G. see BRENNAND, S.
KERBER, A. see LADEWIG, G.
VAN DE KERKHOF, P.C.M. see EVERS, A.W.M.
VAN DE KERKHOF, P.C.M. see PAPP, K.A.
KERL, H. see HOFER, A.
KERNOHAN, N.M. see BEATTIE, P.E.
KERR, A.C., LEONARD, S. & GUPTA, G. A prospective survey of skin cancer referrals to a Scottish dermatology department, 1065
DE KERVILER, E. see LACROIX, C.
KESKI-OJA, J. see KIURU-ENARI, S.
KETTELHACK, N. see KEMPF, W.
KHAN, M. see BULL, J.J.
KHOO, Y.T.A. see MUKHOPADHYAY, A.
KHORSHID, S.M. see ISMAIL, F.
KIDD, K. see ASPLUND, A.
KIEKENS, R.C.M. see RIJKEN, F.
KIELHORN, E. see BOYMAN, O.
KIKUCHI, K. see SUGIURA, H.
KIKUCHI, M. see YAMAGUCHI, T.
KIM, C.D. see LEE, K.M.
KIM, H.J. & KIM, T-Y. Regulation of vascular endothelial growth factor expression by insulin-like growth factor-II in human keratinocytes, differential involvement of mitogen-activated protein kinases and feedback inhibition of protein kinase C, 418
KIM, J-E. see PARK, H-J.
KIM, S-N. see JEON, J.
KIM, T-Y. see KIM, H.J.
KIMURA, T. see SUGIURA, H.
KING, C.M. see RAJPARA, S.M.
KING, T.A. see MURRAY, A.K.
KINSLER, V.A., HAWK, J.L.M. & ATHERTON, D.J. Diffuse cutaneous mastocytosis treated with psoralen photochemotherapy: case report and review of the literature, 179
KIRBY, B. see CHALMERS, R.J.G.
KIRBY, B. see QUEKENBORN-TRINQUET, V.
KIRBY, B. see TOBIN, A.M.
KIRBY, J. see GREEN, C.
KIRK, K.M. see EVANS, D.M.
KIRKUP, M.E. & LOVELL, C.R. Acquired syndactyly secondary to acrodermatitis continua of Hallopeau, 1083
KIRTSCHIG, G., BRINK, A.A.T.P., SCHEPER, R.J. & JASPARS, E.H. No oncogenic mucosal human papillomaviruses in erosive vulval lichen planus, 1367
KITAJIMA, Y. see SAEKI, H.
KIURU-ENARI, S., KESKI-OJA, J. & HALTIA, M. Cutis laxa in hereditary gelsolin amyloidosis, 250
KIYOSAWA, T. see YAMADA, T.
KIZAWA, K., TOYODA, M., ITO, M. & MOROHASHI, M. Aberrantly differentiated cells in benign pilomatrixoma reflect the normal hair follicle: immunohistochemical analysis of Ca^2+-binding S100A2, S100A3 and S100A6 proteins, 314
KLABER, M. see CHALMERS, R.J.G.
KLEESZ, P. see FLUHR, J.W.
KNOBBE, C.B. see REIFENBERGER, J.
KOBAYASHI, E. see YAMAGUCHI, Y.
KOCH, W.A. see FOLSTER-HOLST, R.
KODAMA, H. see AKIYAMA, M.
KODAMA, H. see SAEKI, H.
KOELMEYER, R. see EDMONDSON, S.R.
KOGA, T. see LIU, H-J.
KOGA, T. see YAMAGUCHI, T.
KOH, J-K. see LEE, H-W.
KÖHLER, B. see REIFENBERGER, J.
KOHROH, K. see MURAMATSU, S.
KOKOL, R. see KOPERA, D.
KÖLLNER, K., WIMMERSHOFF, M.B., HINTZ, C., LANDTHALER, M. & HOHENLEUTNER, U. Comparison of the 308-nm excimer laser and a 308-nm excimer lamp with 311-nm narrowband ultraviolet B in the treatment of psoriasis, 750
KOMURO, Y. see MURAMATSU, S.
KONDO, S. see KAWAGUCHI, M.
KONUR, A., SCHULZ, U., EISSNER, G., ANDREESEN, R. & HOLLER, E. Interferon (IFN)-γ is a main mediator of keratinocyte (HaCaT) apoptosis and contributes to autocrine IFN-γ and tumour necrosis factor-α production, 1134
KOPERA, D., KOKOL, R., BERGER, C. & HAAS, J. Low level laser: does it influence wound healing in venous leg ulcers? A randomized, placebo-controlled, double-blind study, 1368
KOPF, A.W. see HALE, E.K.

KORGE, B.P. see MÜLLER, F.B.
KORMAN, N. see WOLFF, K.
KORTEKANGAS-SAVOLAINEN, O. see LAMMINTAUSTA, K.
KOVACS, S. see ABUZAHRA, F.
KRAAIMAAT, F.W. see EVERS, A.W.M.
KRAGBALLE, K. see JOHANSEN, C.
KREKELS, G.A.M. see SMEETS, N.W.J.
KREKELS, G.A.M. see TILLI, C.M.L.J.
KREUTER, A., HOCHDORFER, B., ALTMEYER, P. & GAMBICHLER, T. Pimecrolimus 1% cream for perianal atopic dermatitis, 186
KRIEG, T. see HIRCHE, D.
KRISTIANSEN, K. see JOHANSEN, C.
KROGSTAD, A.L., SKYMNE, A., PEGENIUS, G., ELAM, M. & WALLIN, B.G. No compensatory sweating after botulinum toxin treatment of palmar hyperhidrosis, 329
KRYKANT, S.P. see ROGERS, P.J.
KUBO, T. see YAMAGUCHI, Y.
KUBO, Y. see MURAMATSU, S.
KUBO, Y. see MURAO, K.
KUMAR, B., SANDHU, K. & KAUR, I. Role of *Mycobacterium w* vaccine in the management of psoriasis, 380
KUMAR, K. see REIFENBERGER, J.
KUNISADA, M., BUDIYANTO, A., BITO, T., NISHIGORI, C. & UEDA, M. Retinoic acid suppresses telomerase activity in HSC-1 human cutaneous squamous cell carcinoma, 435
KURIAN, J. see JOSEPH, T.
KUTZNER, H. see KEMPF, W.
KUWERT, C. see MÜLLER, F.B.
KYE, Y-C. see JEON, J.

LA PLACA, M., AMBRETTI, S., BONVICINI, F., VENTUROLI, S., BIANCHI, T., VAROTTI, C., ZERBINI, M. & MUSIANI, M. Presence of high-risk mucosal human papillomavirus genotypes in primary melanoma and in acquired dysplastic melanocytic naevi, 909
LACROIX, C., DE KERVILER, E., MOREL, P., DEROUIN, F. & FEUILHADE DE CHAUVIN, M. *Madurella mycetomatis* mycetoma treated successfully with oral voriconazole, 1067
LADEWIG, G., REINHOLD, U., THIRKILL, C.E., KERBER, A., TILGEN, W. & PFÖHLER, C. Incidence of antiretinal antibodies in melanoma: screening of 77 serum samples from 51 patients with American Joint Committee on Cancer stage I–IV, 931
LAFFITTE, E., BURKHARD, P.R., FONTAO, L., JAUNIN, F., SAURAT, J-H., CHOFFLON, M. & BORRADORI, L. Bullous pemphigoid antigen 1 isoforms: potential new target autoantigens in multiple sclerosis?, 537
LAHFA, M. see GOTTLIEB, A.B.
LAHFA, M. see PAPP, K.A.
LAI, Z. see ZHANG, X-N.
LALINGA, A.V. see DE NISI, M.C.
LAMANT, L. see ASTUDILLO, L.
LAMBERT, D. see THAUVIN-ROBINET, C.
LAMMINTAUSTA, K. & KORTEKANGAS-SAVOLAINEN, O. The usefulness of skin tests to prove drug hypersensitivity, 968
LAN, C-C.E., YU, H-S., WU, C-S., TSAI, K-B., WEN, C-H. & CHEN, G-S. Pigmented eccrine poroma with enhanced endothelin-1 expression: implications for mechanism of hyperpigmentation, 1070
LANDI, M.T. see BACCARELLI, A.
LANDTHALER, M. see CORAS, B.
LANDTHALER, M. see KÖLLNER, K.
LANGELAND, T. & ENGH, V. Topical use of tacrolimus and squamous cell carcinoma on the penis, 183
LAPETRA-PERALTA, J. see CAYUELA, A.
LÁSZIK, A. see CSIKÓS, M.
LAUBE, S., STEPHENS, M., SMITH, A.G., WHITTAKER, S.J. & TAN, B.B. Lymphomatoid papulosis in a patient with atopic eczema on long-term ciclosporin therapy, 1346
LAUNAY, F. see ASTUDILLO, L.
LAURENT, G.J. see deGIORGIO-MILLER, A.M.
LAURENT, R. see AUBIN, F.
LAURENT, R. see PELLETIER, F.
LAVABRE-BERTRAND, T. see STOEBNER, P-E.
LE, Y-P. see ZHANG, X-N.
LEAR, J.T. see WINHOVEN, S.M.
LÉAUTÉ-LABRÈZE, C. see COGREL, O.
LEBEAU, S., MASOUYÉ, I., BERTI, M., AUGSBURGER, E., SAURAT, J-H., BORRADORI, L. & FONTAO, L. Comparative analysis of the expression of ERBIN and Erb-B2 in normal human skin and cutaneous carcinomas, 1248
LEE, B.H. see PARK, C.W.
LEE, C.H. see PARK, C.W.
LEE, C-N. see PARK, H-J.
LEE, D-D. see LIN, M-W.
LEE, H-S. see JEON, J.
LEE, H-W., CHANG, S-E., LEE, M-W., CHOI, J-H., MOON, K-C. & KOH, J-K. Interstitial granulomatous dermatitis with plaques associated with antiphospholipid syndrome, 814
LEE, J.G. see LEE, K.M.
LEE, J.H. see LEE, K.M.
LEE, J.Y-Y. see CHAO, S-C.
LEE, J-H. see LEE, Y.
LEE, J-Y. see CHEN, G-Y.
LEE, J-Y. see PARK, H-J.
LEE, K.M., LEE, J.G., SEO, E.Y., LEE, W.H., NAM, Y.H., YANG, J.M., KEE, S.H., SEO, Y.J., PARK, J.K., KIM, C.D. & LEE, J.H. Analysis of genes responding to ultraviolet B irradiation of HaCaT keratinocytes using a cDNA microarray, 52
LEE, K-H. see PARK, S-G.
LEE, M.G. see CHO, S.B.
LEE, M-W. see LEE, H-W.
LEE, S-T. see SUZUKI, T.
LEE, W.H. see LEE, K.M.
LEE, Y., NAM, Y-H., LEE, J-H., PARK, J.K. & SEO, Y.J. Hypocalcaemia-induced pustular psoriasis-like skin eruption, 591
LEFFELL, D.J. see ASPLUND, A.
LEGAT, F.J. see HOFER, A.
LEGGIO, L. see ABENAVOLI, L.

LEIGH, I.M. see HARWOOD, C.A.
LEMAN, J.A., EVANS, A., MOOI, W. & MACKIE, R.M. Outcomes and pathological review of a cohort of children with melanoma, 1321
LEMBO, L. see PONTI, G.
LENS, M.B., NEWTON-BISHOP, J.A. & BOON, A.P. Desmoplastic malignant melanoma: a systematic review, 673
LENZ, J. see SOKOLOWSKA-WOJDYLO, M.
LEONARD, S. see KERR, A.C.
LEPORT, C. see AUTIER, J.
LEPREUX, S. see COGREL, O.
LERCH, M. see BELTRAMINELLI, H.S.
LEVERKUS, M., ROSE, C., BRÖCKER, E-B. & GOEBELER, M. Follicular cutaneous T-cell lymphoma: beneficial effect of isotretinoin for persisting cysts and comedones, 193
LEVICK, J.R. see HERN, S.
LEWIS, H.M. see THOMSON, M.A.
LEWIS, S.A. see HAILEAMLAK, A.
LEWIS-JONES, S. see CLARK, C.
LI, A. see EDMONDSON, S.R.
LI, J-C. see ZHANG, X-N.
LI, M. see GAO, M.
LI, S. see FELDMAN, S.R.
LI, S. see JIANG, W.
LIAN, C.H. see ZHANG, Z.H.
LIM, I.J. see MUKHOPADHYAY, A.
LIN, C-H. see LIN, M-W.
LIN, M-W., LEE, D-D., LIN, C-H., HUANG, C-Y., WONG, C-K., CHANG, Y-T., LIU, H-N., HSIAO, K-J. & TSAI, S-F. Suggestive linkage of familial primary cutaneous amyloidosis to a locus on chromosome 1q23, 29
LINNEMANN, T., GELLRICH, S., LUKOWSKY, A., MIELKE, A., AUDRING, H., STERRY, W. & WALDEN, P. On the possible relationship between staphylococcal superantigens and increased Vβ5·1 usage in cutaneous T-cell lymphoma: reply from authors, 827
LINTHORST, G.E. & HOLLAK, C.E.M. Angiokeratomas, Fabry disease and enzyme replacement therapy: still a challenge: reply from authors, 178
LIPSKER, D. see BOECKLER, P.
LIPTON, M. see CLAYTON, W.J.
LITTLE, R. see CHALMERS, R.J.G.
LIU, H-J., MOROI, Y., YASUMOTO, S., KOGA, T., MASUDA, T., CHEN, Q-J., TU, Y-T., FURUE, M., ABURATANI, H. & URABE, K. Expression of elafin in extramammary Paget's disease, 578
LIU, H-N. see LIN, M-W.
LIU, J.B. see GAO, M.
LIU, W.D. see ZHANG, Z.H.
LOFFELD, A. & MARSDEN, J.R. Management of melanoma metastasis to the breast: case series and review of the literature, 1206
LÖFFLER, H., BECKER, D., BRASCHT, J. & GEIER, J. Simultaneous sodium lauryl sulphate testing improves the diagnostic validity of allergic patch tests. Results from a prospective multicentre study of the German Contact Dermatitis Research Group (Deutsche Kontaktallergie-Gruppe, DKG), 709
LOH, B. see EDMONDSON, S.R.
LOHMEIER, K., MEGAHED, M., SCHULTE, K.W., STANNIGEL, H., MAYATEPEK, E. & SCHROTEN, H. Toxic epidermal necrolysis in a premature infant of 27 weeks' gestational age, 150
LONGO, S. see TOSTI, A.
LOPRINZI, C.L. see SCIALLIS II, G.F.
LORETTE, G. see GROB, J.J.
LORETTE, G. see MACHET, L.
LOSI, L. see PONTI, G.
LOUWMAN, W.J. see DE VRIES, E.
LOVELL, C.R. see KIRKUP, M.E.
LOWE, N.J. & YAMAUCHI, P.S. U.S. experience of immunomodulators in the treatment of psoriasis: reply from authors, 818
LU, Y. see EVERS, A.W.M.
LÜBBE, J. see CALZA, A-M.
LUCKER, G.P.H., VERFAILLE, C.J., HEREMANS, A.M.C., VANHOUTTE, F.P., BOEGHEIM, J.P.J. & STEIJLEN, P.P.M. Topical liarozole in ichthyosis: a double-blind, left–right comparative study followed by a long-term open maintenance study, 566
LUDWIG, R.J. see BRILL, T.J.
LUKOWSKY, A. see LINNEMANN, T.
LUNAU, L. see HIRCHE, D.
LUNDEBERG, J. see ASPLUND, A.
LYNCH, N.J. see STOVER, C.

MACDONALD HULL, S.P. see SLADDEN, M.J.
MACDONALD, A. & BURDEN, A.D. Noninvasive monitoring for methotrexate hepatotoxicity, 405
MACHET, L., NEMETH-NORMAND, F., GIRAUDEAU, B., PERRINAUD, A., TIGUEMOUNINE, J., AYOUB, J., ALISON, D., VAILLANT, L. & LORETTE, G. Is ultrasound lymph node examination superior to clinical examination in melanoma follow-up? A monocentre cohort study of 373 patients, 66
MACHET, L. see ROGUEDAS, A.M.
MACKIE, R.M. see LEMAN, J.A.
MADDOX, A.J. see MAURICE, P.D.L.
MAELANDSMO, G.M. see MCARDLE, L.
MAGDORF, K. see ANDREAE, J.
MAGEE, J. see SINCLAIR, R.
MAGINA, S., SANTOS, J., COROAS, A., OLIVEIRA, J.G., SERRÃO, P., SOARES-DA-SILVA, P., RESENDE, C. & PESTANA, M. Salt sensitivity of blood pressure in patients with psoriasis on ciclosporin therapy, 773
MAGRO, C.M. see FERRI, C.
MALIK, R., CLARK, C., BLAIR, R., SHAFFRALI, F.C.G. & HOLMES, S. Chronic anal ulceration due to nicorandil, 809
MALVEHY, J., PUIG, S. & MARTÍ-LABORDA, R.M. Dermoscopy of skin lesions in two patients with xeroderma pigmentosum, 271

MAN, I., CROMBIE, I.K., DAWE, R.S., IBBOTSON, S.H. & FERGUSON, J. The photocarcinogenic risk of narrowband UVB (TL-01) phototherapy: early follow-up data, 755
MANCHANDA, Y., DAS, S., SHARMA, V.K. & SRIVASTAVA, D.N. Scleredema associated with carcinoma of the gall bladder, 1373
MANCUSO, G. & BERDONDINI, R.M. Localized scleroderma: response to occlusive treatment with tacrolimus ointment, 180
MAO, W. see ZHANG, X-N.
MARCELO, C.L. see DEVECI, M.
MARGHOOB, A.A. see HALE, E.K.
MARGHOOB, A.A. see PARASKEVAS, L-R.
MARGULIS, A. see MAUBEC, E.
MARINHO, E. see AUTIER, J.
MARKS, I. see GOTTLIEB, A.B.
MARKS, I. see WOLFF, K.
MARSDEN, J.R. see LOFFELD, A.
MARTÍ-LABORDA, R.M. see MALVEHY, J.
MARTÍN DÍAZ, M.A. see CORRAL DE LA CALLE, M.
MARTIN, N.G. see EVANS, D.M.
MARTÍN-CASABONA, N. see BARTRALOT, R.
MARTÍN-NEDA, F. see RODRÍGUEZ GARCÍA, F.
MASCARÓ, J.M. see GUILABERT, A.
MASOUYÉ, I. see LEBEAU, S.
MASOUYE, I. see POURNARAS, C.C.
MASSI, D. see DE GIORGI, V.
MASUDA, T. see LIU, H-J.
MATHIESEN, B. see CVETKOVSKI, R.S.
MATSUBA, S. see MURAMATSU, S.
MATSUI, T. see SUDA, T.
MATSUMOTO, K. see MURAO, K.
MATSUMURA, Y. see SUZUKI, R.
MATSUSHITA, S., KAGESHITA, T. & ISHIHARA, T. Comparison of dermoscopic and histopathological findings in a mucous melanoma of the lip, 1324
MATTHEWS, S. see STAINER, R.
MAUBEC, E., DUVILLARD, P., MARGULIS, A., BACHOLLET, B., DEGOIS, G. & AVRIL, M-F. Common skin cancers in porokeratosis, 1389
MAURICE, P.D.L., MADDOX, A.J., GREEN, C.A., TATNALL, F., SCHOFIELD, J.K. & STOTT, D.J. Monitoring patients on methotrexate: hepatic fibrosis not seen in patients with normal serum assays of aminoterminal peptide of type III procollagen, 451
MAVILIA, L., CAMPOLMI, P., ROSSI, R., MORI, M., PIMPINELLI, N. & CAPPUGI, P. Wide-area 308-nm phototherapy with nonlaser light in the treatment of psoriasis: results of a pilot study, 1376
MAYATEPEK, E. see LOHMEIER, K.
MAYUZUMI, N., IKEDA, S., KAWADA, H. & OGAWA, H. Effects of drugs and anticytokine antibodies on expression of *ATP2A2* and *ATP2C1* in cultured normal human keratinocytes, 920
MAYUZUMI, N., IKEDA, S., KAWADA, H., FAN, P.S. & OGAWA, H. Effects of ultraviolet B irradiation, proinflammatory cytokines and raised extracellular calcium concentration on the expression of *ATP2A2* and *ATP2C1*, 697
MAZZOTTA, A. see COSTANZO, A.
MCANDREW, L. see CERIO, R.
MCANULTY, R.J. see DEGIORGIO-MILLER, A.M.
MCARDLE, L., RAFFERTY, M.M., SATYAMOORTHY, K., MAELANDSMO, G.M., DERVAN, P.A., HERLYN, M. & EASTY, D.J. Microarray analysis of phosphatase gene expression in human melanoma, 925
MCCARRON, P. see GALOBARDES, B.
MCCORMACK, C.J. see BRENNAND, S.
MCDONALD, S. see STAINER, R.
MCGRATH, J.A. see OZANIC BULIC, S.
MCGREGOR, J.M. see HARWOOD, C.A.
MCGREGOR, J.M. see ISMAIL, F.
MCINNES, C.J. see CLARK, C.
MCINTYRE, P.G. see CLARK, C.
MCLEAN, W.H.I. see GARCÍA-RIO, I.
MCLEAN, W.H.I. see MORLEY, S.M.
MCRAE, S. see SCHULZE, H.J.
MECKLENBECK, S. see CSIKÓS, M.
MEDIERO, I.G. see IGLESIAS, C.
MEDING, B., WRANGSJÖ, K. & JÄRVHOLM, B. Fifteen-year follow-up of hand eczema: persistence and consequences, 975
MEGAHED, M. see LOHMEIER, K.
MEINDL, S., ROT, A., HOETZENECKER, W., KATO, S., CROSS, H.S. & ELBE-BÜRGER, A. Vitamin D receptor ablation alters skin architecture and homeostasis of dendritic epidermal T cells, 231
MEIRION THOMAS, J. & GIBLIN, A-V. Dermatologists should exert a greater influence over sentinel lymph node biopsy for melanoma in the U.K., 176
MELLERIO, J.E. see OZANIC BULIC, S.
MELLOR, R.H. see HERN, S.
MENTER, A. see FELDMAN, S.R.
MENTER, A. Ciclosporin in psoriasis consensus statement, 811
MERA, K. see KANEKURA, T.
MERA, Y. see KANEKURA, T.
MERCHANT, W. see YUNG, A.
MERK, H.F. see ABUZAHRA, F.
MERLET, S. see GUILLOT, B.
MERLIO, J.P. see BEYLOT-BARRY, M.
MERLIO, J.P. see COGREL, O.
MESSENGER, A.G. see SLADDEN, M.J.
METZE, D. see STÄNDER, S.
MEUNIER, L. see STOEBNER, P-E.
MEVORAH, B. see FELDMEYER, L.
MEYER, A. see BOECKLER, P.
MEYER, L. see ANDREAE, J.
MIELKE, A. see LINNEMANN, T.
MIKAMI, Y. see KASHIMA, M.
MILEA, M. see BOECKLER, P.
MIMURA, Y., IHN, H., JINNIN, M., ASANO, Y., YAMANE, K., YAZAWA, N. & TAMAKI, K. Serum levels of anti-agalactosyl IgG antibodies in mixed connective tissue disease, 806

MIRACCO, C. see BURRONI, M.
MIRACCO, C. see DE NISI, M.C.
MIRANDA-ROMERO, A. see AGUILAR-BERNIER, M.
MISCIALI, C., IORIZZO, M., FANTI, P.A., PIRACCINI, B.M., CECCARELLI, C., SANTINI, D. & TOSTI, A. Onychoblastoma (hamartoma of the nail unit): a new entity?, 1077
MISCIALI, C. see PATRIZI, A.
MISCIALI, C. see TOSTI, A.
MITCHELL, E.A. see PURVIS, D.J.
MITSUHASHI, Y. see KAWAGUCHI, M.
MIYACHI, Y. see SUZUKI, R.
MIYAGAWA, S. see OKAZAKI, A.
MIZOGUCHI, M. see KASHIMA, M.
MIZOGUCHI, M. see MURAKAMI, F.
MIZUNO, M. see YAMADA, M.
MIZUNO, Y. see MURAMATSU, S.
MOCARELLI, P. see BACCARELLI, A.
MÖHRENSCHLAGER, M., HENKEL, V. & RING, J. Angiokeratomas, Fabry disease and enzyme replacement therapy: still a challenge, 177
MOIR, G.C. see CERIO, R.
MOLLET, J. see BARTRALOT, R.
MOOI, W. see LEMAN, J.A.
MOON, K-C. see LEE, H-W.
MOORE, T.L. see MURRAY, A.K.
MOREL, P. see LACROIX, C.
MORENO-ARIAS, G.A. see TRELLES, M.A.
MORI, M. see MAVILIA, L.
MORI, Y. see SAEKI, H.
MORITA, E. see SAEKI, H.
MORIZANE, S. see YAMASAKI, O.
MORLEY, S.M., WHITE, M.I., ROGERS, M., WASSERMAN, D., RATAJCZAK, P., MCLEAN, W.H.I. & RICHARD, G. A new, recurrent mutation of GJB3 (Cx31) in erythrokeratodermia variabilis, 1143
MOROHASHI, M. see KIZAWA, K.
MOROI, Y. see LIU, H-J.
MOROI, Y. see YAMAGUCHI, T.
MORTIMER, N.J. see SLADDEN, M.J.
MORTIMER, P.S. see HERN, S.
MOUGIN, C. see PELLETIER, F.
MROWIETZ, U. see GOTTLIEB, A.B.
MUDGE, B.P. see DEVECI, M.
MUGNERET, F. see THAUVIN-ROBINET, C.
MUKHOPADHYAY, A., TAN, E.K.J., KHOO, Y.T.A., CHAN, S.Y., LIM, I.J. & PHAN, T.T. Conditioned medium from keloid keratinocyte/keloid fibroblast coculture induces contraction of fibroblast-populated collagen lattices, 639
MÜLLER, F.B., TSIANAKAS, A., KUWERT, C., KORGE, B.P. & HUNZELMANN, N. A novel compound heterozygous mutation in Werner syndrome results in *WRN* transcript decay, 1030
MURAKAMI, F., SOMA, Y. & MIZOGUCHI, M. Acquired symmetrical dermal melanocytosis (naevus of Hori) developing after aggravated atopic dermatitis, 903
MURAKAMI, T. see YAMAGUCHI, Y.
MURAMATSU, S., SUGA, Y., MIZUNO, Y., HASEGAWA, T., KOMURO, Y., KUBO, Y., IMAKADO, S. & OGAWA, H. A Japanese case of naevoid basal cell carcinoma syndrome associated with segmental vitiligo, 812
MURAMATSU, S., SUGA, Y., MIZUNO, Y., HASEGAWA, T., TSUCHIHASHI, H., MATSUBA, S., KOHROH, K., YAGUCHI, H. & OGAWA, H. A novel threonine to proline mutation in the helix termination motif of keratin 1 in epidermolytic hyperkeratosis with severe palmoplantar hyperkeratosis and contractures of the digits, 1087
MURAO, K., KUBO, Y., TAKIWAKI, H., ARASE, S. & MATSUMOTO, K. Bowen's disease on the sole: $p16^{INK4a}$ overexpression associated with human papillomavirus type 16, 170
DE MURET, A. see ROGUEDAS, A.M.
MURPHY, L.J. see EDMONDSON, S.R.
MURRAY, A.K., HERRICK, A.L., MOORE, T.L., KING, T.A. & GRIFFITHS, C.E.M. Dual wavelength (532 and 633 nm) laser Doppler imaging of plaque psoriasis, 1182
MURRAY, C.S., STOCKTON, D.L. & DOHERTY, V.R. Thick melanoma: the challenge persists, 104
MURRELL, D. see VINCIULLO, C.
MURRELL, D.F. see GOTTLIEB, A.B.
MUSIANI, M. see LA PLACA, M.
MYATT, A.E. see YUNG, A.
MYSLIWSKI, A. see ZBYTEK, B.

NAEYAERT, J.M. see ONGENAE, K.
NAGAI, H. see HANAKAWA, Y.
NAGASAKA, T. see ZHENG, S.
NAKAGAWA, H. see YAMADA, T.
NAKAJIMA, K. see AKIYAMA, M.
NAKAMURA, K. see SAEKI, H.
NAKANISHI, A.M. see PAPP, K.A.
NAKAYAMA, J. see YAMAGUCHI, T.
NAKAZAWA, H. see KAWASAKI, H.
NAKAZAWA, S. see HAMANAKA, S.
NALDI, L. & GRIFFITHS, C.E.M. Traditional therapies in the management of moderate to severe chronic plaque psoriasis: an assessment of the benefits and risks, 597
NAM, Y.H. see LEE, K.M.
NAM, Y-H. see LEE, Y.
NEMETH-NORMAND, F. see MACHET, L.
NERI, I. see PATRIZI, A.
NESTLE, F.O. see BOYMAN, O.
NESTLE, F.O. see GILLIET, M.
NEUMANN, H.A.M. see TILLI, C.M.L.J.
NEUMANN, M.H.A. see TILLEMAN, T.R.
NEWTON-BISHOP, J.A. see LENS, M.B.
NGUYEN, C. see QUEKENBORN-TRINQUET, V.
NGUYEN, R. see VINCIULLO, C.
NICHOLSON, S. see CERIO, R.
NICKOLOFF, B.J. see BOYMAN, O.
NIIDE, O. see SUDA, T.
NIITSUMA, K. & TSUBAKIMOTO, A. Multiple dermoid cysts on the cheek, 1387

NIIYAMA, S. see YOKOZEKI, H.
NIIZEKI, H. see OKAZAKI, A.
NISCHAL, K.K. see HILL, V.A.
NISHIGORI, C. see KUNISADA, M.
NISHIOKA, K. see OKIYAMA, N.
NISHIOKA, K. see YOKOZEKI, H.
NISTICÒ, S. see COSTANZO, A.
NIU, Z.M. see ZHANG, Z.H.
NODA CABRERA, A. see RODRÍGUEZ GARCÍA, F.
NONAKA, S. see BHUTTO, A.M.
NONOMURA, A. see OKAZAKI, A.
NORGAUER, J. see FLUHR, J.W.
NOVAC, C. see EVANS, D.M.
NOZZA, P. see DRAGO, F.
NYHOLT, D.R. see EVANS, D.M.

OBANA, A. see SUZUKI, T.
OCCHINI, R. see DE NISI, M.C.
OCHIAI, T. see SUDA, T.
OESCHGER, S. see BRILL, T.J.
OGAWA, H. see MAYUZUMI, N.
OGAWA, H. see MURAMATSU, S.
OH, S-H. see PARK, S-G.
OHSHIMA, A. see HASHIZUME, H.
OHSHIMA, K. see YAMAGUCHI, T.
OHTSUKA, T. & YAMAZAKI, S. Altered prevalence of human parvovirus B19 component genes in systemic sclerosis skin tissue, 1078
OHTSUKA, T. & YAMAZAKI, S. Prevalence of human parvovirus B19 component NS1 gene in patients with Henoch-Schönlein purpura and hypersensitivity vasculitis, 1080
OHTSUKI, M. see YAMADA, T.
OISHI, N. see YAMADA, M.
OKAZAKI, A., ASADA, H., NIIZEKI, H., NONOMURA, A. & MIYAGAWA, S. Intravascular histiocytosis associated with rheumatoid arthritis: report of a case with lymphatic endothelial proliferation, 1385
OKIYAMA, N., YAMAMOTO, T., WATANABE, K., YOKOZEKI, H. & NISHIOKA, K. Juvenile dermatomyositis in association with 22q11.2 deletion syndrome, 1370
OLIVEIRA, J.G. see MAGINA, S.
OLSEN, J. see CVETKOVSKI, R.S.
OMAR, G. see ORMEROD, A.D.
ONGENAE, K., VAN GEEL, N., DE SCHEPPER, S. & NAEYAERT, J.M. Effect of vitiligo on self-reported health-related quality of life, 1165
ORFANOS, C.E. see HUSAK, R.
ORMEROD, A.D. & WILLIAMS, H.C. Compulsory registration of clinical trials, 859
ORMEROD, A.D., SHAH, S.A.A., COPELAND, P., OMAR, G. & WINFIELD, A. Treatment of psoriasis with topical sirolimus: preclinical development and a randomized, double-blind trial, 758
ORTONNE, J.P. see GROB, J.J.
ORTONNE, J.P. see REITAMO, S.
ORTONNE, J-P. see GOTTLIEB, A.B.
OSMAN, I. see HALE, E.K.
O'TOOLE, E.A. see ISMAIL, F.
OTSUKA, F. see HAMANAKA, S.
OUT-LUITING, J.J. see JANSSENS, A.S.
OWEN, C.M. see WINHOVEN, S.M.
OZANIC BULIC, S., FASSIHI, H., MELLERIO, J.E., MCGRATH, J.A. & ATHERTON, D.J. Thalidomide in the management of epidermolysis bullosa pruriginosa, 1332

PAINTAUD, G. see ROGUEDAS, A.M.
PALMEDO, G. see KEMPF, W.
PANAGEAS, K.S. see HALE, E.K.
PANAGIOTIDIS, J. see DE BREE, E.
PAPOUTSAKI, M. see COSTANZO, A.
PAPP, K. see WOLFF, K.
PAPP, K.A., TYRING, S., LAHFA, M., PRINZ, J., GRIFFITHS, C.E.M., NAKANISHI, A.M., ZITNIK, R. & VAN DE KERKHOF, P.C.M. for the Etanercept Psoriasis Study Group. A global phase III randomized controlled trial of etanercept in psoriasis: safety, efficacy, and effect of dose reduction, 1304
PARASKEVAS, L-R., HALPERN, A.C. & MARGHOOB, A.A. Utility of the Wood's light: five cases from a pigmented lesion clinic, 1039
PARDO, F. see VIEITES, B.
PARK, C.W., LEE, B.H., HAN, H.J., LEE, C.H. & AHN, H.K. Tacrolimus decreases the expression of eotaxin, CCR3, RANTES and interleukin-5 in atopic dermatitis, 1173
PARK, H-J., LEE, C-N., KIM, J-E., JEONG, E., LEE, J-Y. & CHO, B-K. A case of idiopathic leuconychia totalis and partialis, 401
PARK, J.K. see LEE, K.M.
PARK, J.K. see LEE, Y.
PARK, S-G., OH, S-H., SUH, S-B., LEE, K-H. & CHUNG, K-Y. A case of chromoblastomycosis with an unusual clinical manifestation caused by *Phialophora verrucosa* on an unexposed area: treatment with a combination of amphotericin B and 5-flucytosine, 560
PARRENS, M. see BEYLOT-BARRY, M.
PASCOE, D. see FLOHR, C.
PATEL, K. see FELDMAN, S.R.
PATRIZI, A., NERI, I., SABATTINI, E., RIZZOLI, L. & MISCIALI, C. Unusual inflammatory and hyperkeratotic halo naevus in children, 357
PATTERSON JR, D.G. see BACCARELLI, A.
PÄTZOLD, S. see THAÇI, D.
PAUL, C. see WOLFF, K.
PAUL, C.F. see GOTTLIEB, A.B.
PAUS, R. see ITO, T.
PAVEL, S. see JANSSENS, A.S.
PAZZAGLIA, M. see TOSTI, A.
PEDRONI, M. see PONTI, G.
PEGENIUS, G. see KROGSTAD, A.L.
PELENGARIS, S. see BULL, J.J.
PELLACANI, G., CESINARO, A.M. & SEIDENARI, S. In vivo confocal reflectance microscopy for the characterization of mel-

anocytic nests and correlation with dermoscopy and histology, 384
PELLACANI, G. see PONTI, G.
PELLETIER, F., BERMONT, L., PUZENAT, E., BLANC, D., CAIREY-REMONNAY, S., MOUGIN, C., LAURENT, R., HUMBERT, P. & AUBIN, F. Circulating vascular endothelial growth factor in cutaneous malignant melanoma, 685
PEÑAS, P.F. see GARCÍA-RIO, I.
PERELLÓ, J. see GRASES, F.
PÉREZ DEL MOLINO, M.L. see VIEITES, B.
PERRETT, C.M. see HARWOOD, C.A.
PERRINAUD, A. see MACHET, L.
PESATORI, A.C. see BACCARELLI, A.
PESTANA, M. see MAGINA, S.
PFÖHLER, C. see LADEWIG, G.
PHAN, T.T. see MUKHOPADHYAY, A.
PHILPOTT, M.P. see BULL, J.J.
PICARD-DAHAN, C. see AUTIER, J.
PIGUET, V. see POURNARAS, C.C.
PIKULA, M. see ZBYTEK, B.
PILETTA, P. see POURNARAS, C.C.
PIMPINELLI, N. see MAVILIA, L.
PIRACCINI, B.M. see MISCIALI, C.
PIRACCINI, B.M. see TOSTI, A.
PISKIN, G. see BOS, J.D.
PLANTARD, L. see FELDMEYER, L.
PLAYER, G.R.H. see ROGERS, P.J.
POBLET, E., JIMENEZ, F., DE CABO, C., PRIETO-MARTIN, A. & SÁNCHEZ-PRIETO, R. The calcium-binding protein calretinin is a marker of the companion cell layer of the human hair follicle, 1316
VAN DE POLL-FRANSE, L.V. see DE VRIES, E.
POLLOCK, B. see STRAUSS, R.M.
POLLOCK, I. see STAINER, R.
POLSKY, D. see HALE, E.K.
PONTÉN, F. see ASPLUND, A.
PONTI, G., PONZ DE LEON, M., LOSI, L., DI GREGORIO, C., BENATTI, P., PEDRONI, M., SCARSELLI, A., RIEGLER, G., LEMBO, L., PELLACANI, G., SEIDENARI, S., ROSSI, G. & RONCUCCI, L. Different phenotypes in Muir–Torre syndrome: clinical and biomolecular characterization in two Italian families, 1335
PONZ DE LEON, M. see PONTI, G.
PORTALÈS, P. see GUILLOT, B.
POSTON, G.J. see BELL, H.K.
POURNARAS, C.C., MASOUYE, I., PILETTA, P., PIGUET, V., SAURAT, J-H. & FRENCH, L.E. Extensive annular verrucous late secondary syphilis, 1343
PRAESSLER, J. see FLUHR, J.W.
PRANTSIDIS, A. see RIGOPOULOS, D.
PRIETO, R.M. see GRASES, F.
PRIETO-MARTIN, A. see POBLET, E.
PRINCE, H.M. see BRENNAND, S.
PRINZ, J. see PAPP, K.A.
PROBY, C.M. see HARWOOD, C.A.
PUIG, S. see MALVEHY, J.
PUJOL, R.M. see BARTRALOT, R.
PURVIS, D.J., THOMPSON, J.M.D., CLARK, P.M., ROBINSON, E., BLACK, P.N., WILD, C.J. & MITCHELL, E.A. Risk factors for atopic dermatitis in New Zealand children at 3.5 years of age, 742
PUZENAT, E. see AUBIN, F.
PUZENAT, E. see PELLETIER, F.

QUEKENBORN-TRINQUET, V., FOGEL, P., ALDANA-JAMMAYRAC, O., ANCIAN, P., DEMARCHEZ, M., ROSSIO, P., RICHARDS, H.L., KIRBY, B., NGUYEN, C., VOEGEL, J.J. & GRIFFITHS, C.E.M. Gene expression profiles in psoriasis: analysis of impact of body site location and clinical severity, 489
QUERFELD, U. see ANDREAE, J.
QUERNER, S. see COENRAADS, P.J.

RA, C. see SUDA, T.
RADAKOVIC-FIJAN, S., BLECHA-THALHAMMER, U., SCHLEYER, V., SZEIMIES, R.M., ZWINGERS, T., HÖNIGSMANN, H. & TANEW, A. Topical aminolaevulinic acid-based photodynamic therapy as a treatment option for psoriasis? Results of a randomized, observer-blinded study, 279
RAFFERTY, M.M. see MCARDLE, L.
RAJAGOPALAN, R. see FELDMAN, S.R.
RAJPARA, S.M. & KING, C.M. Hailey–Hailey disease responsive to topical calcitriol, 816
RAMAEKERS, F.C.S. see TILLI, C.M.L.J.
RAMNATH, R. see YUNG, A.
RANSMAYR, G. see RATZINGER, G.
RATAJCZAK, P. see MORLEY, S.M.
RATZINGER, G., RANSMAYR, G., ROMANI, N. & ZELGER, B. CADASIL—an unusual manifestation with prominent cutaneous involvement, 346
RAVANTI, L. see IMPOLA, U.
REBORA, A. see DRAGO, F.
RECHER, C. see ASTUDILLO, L.
REDONDO, P., DEL OLMO, J. & ALBEROLA, I. In situ and distant foreign body granulomas caused by silicone. Treatment with allopurinol, 1064
REED, J.R. see BIRCH, K.E.
REID, C. see VINCIULLO, C.
REIFENBERGER, G. see REIFENBERGER, J.
REIFENBERGER, J., WOLTER, M., KNOBBE, C.B., KÖHLER, B., SCHÖNICKE, A., SCHARWÄCHTER, C., KUMAR, K., BLASCHKE, B., RUZICKA, T. & REIFENBERGER, G. Somatic mutations in the *PTCH*, *SMOH*, *SUFUH* and *TP53* genes in sporadic basal cell carcinomas, 43
REIFENBERGER, J. see SCHULZE, H.J.
REINHOLD, U. see LADEWIG, G.
REIS, M.L. see ROSATELLI, T.B.
REITAMO, S., ORTONNE, J.P., SAND, C., CAMBAZARD, F., BIEBER, T., FÖLSTER-HOLST, R., VENA, G., BOS, J.D., FABBRI, P. & GROENHOEJ LARSEN, C. for the European Tacro-

limus Ointment Study Group. A multicentre, randomized, double-blind, controlled study of long-term treatment with 01% tacrolimus ointment in adults with moderate to severe atopic dermatitis, 1282
REITAMO, S. see WOLFF, K.
REQUENA, L. see IGLESIAS, C.
REQUENA, L. see SANTOS-JUANES, J.
REQUENA, L. see SCHULZE, H.J.
RESENDE, C. see MAGINA, S.
REUNALA, T. see HERVONEN, K.
REVUZ, J. see GROB, J.J.
RICHARD, G. see CHAO, S-C.
RICHARD, G. see MORLEY, S.M.
RICHARDS, H.L. see QUEKENBORN-TRINQUET, V.
DE RIE, M.A. see BOS, J.D.
RIEGLER, G. see PONTI, G.
RIGOPOULOS, D., PRANTSIDIS, A., CHRISTOFIDOU, E., IOANNIDES, D., GREGORIOU, S. & KATSAMBAS, A. Pimecrolimus 1% cream in the treatment of disseminated granuloma annulare, 1364
RIJKEN, F., KIEKENS, R.C.M. & BRUIJNZEEL, P.L.B. Skin-infiltrating neutrophils following exposure to solar-simulated radiation could play an important role in photoageing of human skin, 321
RING, J. see MÖHRENSCHLAGER, M.
RISULO, M. see BURRONI, M.
RIZZOLI, L. see PATRIZI, A.
ROBERTSHAW, H. & FRIEDMANN, P.S. Pioglitazone: a promising therapy for psoriasis, 189
ROBINSON, E. see PURVIS, D.J.
ROBINSON, J. see STAINER, R.
ROBSON, A. see HICKEY, J.R.
RODRÍGUEZ GARCÍA, F., FAGUNDO GONZÁLEZ, E., CABRERA-PAZ, R., RODRIGUEZ MARTÍN, M., SÁEZ RODRÍGUEZ, M., MARTÍN-NEDA, F., GARCÍA BUSTINDUY, M., NODA CABRERA, A. & SÁNCHEZ GONZÁLEZ, R. Generalized pustular psoriasis successfully treated with topical tacrolimus, 587
RODRIGUEZ MARTÍN, M. see RODRÍGUEZ GARCÍA, F.
RODRÍGUEZ-CANO, L. see BARTRALOT, R.
RODRÍGUEZ-DOMÍNGUEZ, S. see CAYUELA, A.
ROGERS, M. see MORLEY, S.M.
ROGERS, P.J., WOOD, S.M., GARRETT, E.L., KRYKANT, S.P., HADDINGTON, N.J., HAYHURST, J. & PLAYER, G.R.H. Use of nonprescription topical steroids: patients' experiences, 1193
ROGERS, S. see CHALMERS, R.J.G.
ROGUEDAS, A.M., WATIER, H., PAINTAUD, G., DE MURET, A., VAILLANT, L. & MACHET, L. Intralesional therapy with anti-CD20 monoclonal antibody rituximab: local and systemic efficacy in primary cutaneous B-cell lymphoma, 541
ROH, M.R. see CHO, S.B.
ROMANI, N. see RATZINGER, G.
ROMANOS, J. see DE BREE, E.
RONCUCCI, L. see PONTI, G.
ROSATELLI, T.B., ROSELINO, A.M., DELLALIBERA-JOVILIANO, R., REIS, M.L. & DONADI, E.A. Increased activity of plasma and tissue kallikreins, plasma kininase II and salivary kallikrein in pemphigus foliaceus (fogo selvagem), 650
ROSE, C. see LEVERKUS, M.
ROSELINO, A.M. see ROSATELLI, T.B.
ROSSI, G. see PONTI, G.
ROSSI, R. see MAVILIA, L.
ROSSIO, P. see QUEKENBORN-TRINQUET, V.
ROSZKIEWICZ, J. see SOKOLOWSKA-WOJDYLO, M.
ROT, A. see MEINDL, S.
ROTHMAN, K.J. see CVETKOVSKI, R.S.
RUBBERT, A. see HIRCHE, D.
RUBEGNI, P., BURRONI, M., SBANO, P. & ANDREASSI, L. Digital dermoscopy analysis and internet-based program for discrimination of pigmented skin lesion dermoscopic images, 395
RUBEGNI, P. see BURRONI, M.
RUSTIN, M. see CLAYTON, W.J.
RUSTIN, M. see WOLFF, K.
RUSTIN, M.H.A. see BIRCH, K.E.
RUZICKA, T. see COENRAADS, P.J.
RUZICKA, T. see REIFENBERGER, J.
RYAN, T. Neurocutaneous Disorders (2004) E. Steve Roach and Van S. Miller. Cambridge: Cambridge University Press., 402
RZANY, B. see WEBER, A.

SAARIALHO-KERE, U. see IMPOLA, U.
SAATHOFF, M. see ITO, T.
SABATTINI, E. see PATRIZI, A.
SAEKI, H., IIZUKA, H., MORI, Y., AKASAKA, T., TAKAGI, H., KITAJIMA, Y., TEZUKA, T., TANAKA, T., HIDE, M., YAMAMOTO, S., HIROSE, Y., KODAMA, H., URABE, K., FURUE, M., KASAGI, F., TORII, H., NAKAMURA, K., MORITA, E., TSUNEMI, Y. & TAMAKI, K. Prevalence of atopic dermatitis in Japanese elementary schoolchildren, 110
SÁEZ RODRÍGUEZ, M. see RODRÍGUEZ GARCÍA, F.
SAGA, K. & JIMBOW, K. Clear reticulated cytoplasm of human eccrine sweat glands: immunohistochemical differentiation from pathological degeneration, 389
SAKAKIBARA, A. see ZHENG, S.
SÁNCHEZ DEL RÍO, J. see SANTOS-JUANES, J.
SÁNCHEZ GONZÁLEZ, R. see RODRÍGUEZ GARCÍA, F.
SÁNCHEZ-AGUILAR, D. see VIEITES, B.
SÁNCHEZ-PRIETO, R. see POBLET, E.
SAND, C. see REITAMO, S.
SANDER-BÄHR, C. see HUSAK, R.
SANDHU, K. see KUMAR, B.
SANTINI, D. see MISCIALI, C.
SANTOS, J. see MAGINA, S.
SANTOS-JUANES, J., GALACHE OSUNA, C., SÁNCHEZ DEL RÍO, J., SOTO DE DELÁS, J. & REQUENA, L. Apocrine hidrocystoma on the tip of a finger, 379
SANZ-MUÑOZ, C. see AGUILAR-BERNIER, M.
SARUWATARI, H. see KANEKURA, T.

SATO-MATSUMURA, K.C. see KAWASAKI, H.
SATYAMOORTHY, K. see MCARDLE, L.
SAURAT, J-H. see KAYA, G.
SAURAT, J-H. see LAFFITTE, E.
SAURAT, J-H. see LEBEAU, S.
SAURAT, J-H. see POURNARAS, C.C.
SAWAMURA, D. see AKIYAMA, M.
SAWAMURA, D. see KAWASAKI, H.
SAWAMURA, D. see YASUKAWA, K.
SAYAMA, K. see HANAKAWA, Y.
SBANO, P. see BURRONI, M.
SBANO, P. see RUBEGNI, P.
SCARSELLI, A. see PONTI, G.
SCHAPIRA, C. see STAINER, R.
SCHARWÄCHTER, C. see REIFENBERGER, J.
SCHECHTER, P.J. see BHOL, K.C.
SCHEPER, R.J. see KIRTSCHIG, G.
SCHLEYER, V. see RADAKOVIC-FIJAN, S.
SCHMELZ, M. see STÄNDER, S.
SCHOFIELD, J.K. see MAURICE, P.D.L.
SCHÖNICKE, A. see REIFENBERGER, J.
SCHREIBER, S. see FOLSTER-HOLST, R.
SCHROTEN, H. see LOHMEIER, K.
SCHULER, G. see HERTL, M.S.
SCHULTE, K.W. see LOHMEIER, K.
SCHULZ, U. see KONUR, A.
SCHULZE, H.J., CRIBIER, B., REQUENA, L., REIFENBERGER, J., FERRÁNDIZ, C., GARCIA DIEZ, A., TEBBS, V. & MCRAE, S. Imiquimod 5% cream for the treatment of superficial basal cell carcinoma: results from a randomized vehicle-controlled phase III study in Europe, 939
SCHWAEBLE, W. see STOVER, C.
SCIALLIS II, G.F., LOPRINZI, C.L. & DAVIS, M.D.P. Progressive linear lichen planus and metastatic carcinoma, 399
SEIDENARI, S. see PELLACANI, G.
SEIDENARI, S. see PONTI, G.
SEITZ, C.S. & HAMM, H. Congenital brachydactyly and nail hypoplasia: clue to bone-dependent nail formation, 1339
SELA, A. see ASPLUND, A.
SEN, A. see WONG, T-W.
SEO, E.Y. see LEE, K.M.
SEO, Y.J. see LEE, K.M.
SEO, Y.J. see LEE, Y.
SERRÃO, P. see MAGINA, S.
SESTINI, S. see DE GIORGI, V.
SEYMOUR, J.F. see BRENNAND, S.
SHAFFRALI, F.C.G. see MALIK, R.
SHAH, S.A.A. see ORMEROD, A.D.
SHAIKH, A. see BHUTTO, A.M.
SHARMA, V.K. see MANCHANDA, Y.
SHEAR, N. see WOLFF, K.
SHEEHAN-DARE, R. see YUNG, A.
SHEN, Y.J. see GAO, M.
SHERIDAN, A. see VINCIULLO, C.
SHERR, L. see CLAYTON, W.J.
SHIBATA, S-I. see ZHENG, S.
SHIMAUCHI, T., HIROKAWA, Y. & TOKURA, Y. Purpuric adult T-cell leukaemia/lymphoma: expansion of unusual CD4/CD8 double-negative malignant T cells expressing CCR4 but bearing the cytotoxic molecule granzyme B, 350
SHIMIZU, A. see YAMAGUCHI, T.
SHIMIZU, H. see AKIYAMA, M.
SHIMIZU, H. see KAWASAKI, H.
SHIMIZU, M. see ZHENG, S.
SHIRAKATA, Y. see HANAKAWA, Y.
SHORT, K.A. & HIGGINS, E.M. Urticaria as a side-effect of diphencyprone therapy for resistant viral warts, 583
SHUMACK, S. see CHEN, K.
SILHA, J.V. see EDMONDSON, S.R.
SILNY, W. see WOLFF, K.
SINCLAIR, R., CHAPMAN, A. & MAGEE, J. The lack of significant changes in scalp hair follicle density with advancing age, 646
SINCLAIR, R., WEWERINKE, M. & JOLLEY, D. Treatment of female pattern hair loss with oral antiandrogens, 466
SINCLAIR, R. see COLLINS, F.
SINKGRAVEN, R. see WEBER, A.
SITJAS, D. see BARTRALOT, R.
SKOET, R. see HELD, E.
SKYMNE, A. see KROGSTAD, A.L.
SLADDEN, M.J., MACDONALD HULL, S.P., WOOD, M.L., HUTCHINSON, P.E. & MESSENGER, A.G. Alopecia areata: the need for guidelines and evidence-based dermatology, 1086
SLADDEN, M.J., MORTIMER, N.J. & HUTCHINSON, P.E. Extensive plaque psoriasis successfully treated with adalimumab (Humira®), 1091
SLOMINSKI, A.T. see ZBYTEK, B.
SLOMINSKI, R.M. see ZBYTEK, B.
SMEETS, N.W.J. & KREKELS, G.A.M. Surgery for basal cell carcinoma: study biases: reply from authors, 823
SMITH, A. see CHALMERS, R.J.G.
SMITH, A.G. see LAUBE, S.
SMITH, C.H. see CHALMERS, R.J.G.
SMITH, C.H. see HICKEY, J.R.
SMITH, D.J. see DEVECI, M.
SMITH, F.J.D. see GARCÍA-RIO, I.
SOARES-DA-SILVA, P. see MAGINA, S.
SOKOLOWSKA-WOJDYLO, M., WENZEL, J., GAFFAL, E., LENZ, J., SPEUSER, P., ERDMANN, S., ABUZAHRA, F., BOWMAN, E., ROSZKIEWICZ, J., BIEBER, T. & TÜTING, T. Circulating clonal CLA+ and CD4+ T cells in Sézary syndrome express the skin-homing chemokine receptors CCR4 and CCR10 as well as the lymph node-homing chemokine receptor CCR7, 258
SOMA, Y. see MURAKAMI, F.
SOTO DE DELÁS, J. see SANTOS-JUANES, J.
SPELMAN, L. see VINCIULLO, C.
SPEUSER, P. see SOKOLOWSKA-WOJDYLO, M.
SRIVASTAVA, D.N. see MANCHANDA, Y.
STAAB, D. see ANDREAE, J.
STABLES, G.I. see CLAYTON, T.H.

STABLES, G.I. see STRAUSS, R.M.
STAINER, R., MATTHEWS, S., ARSHAD, S.H., MCDONALD, S., ROBINSON, J., SCHAPIRA, C., FOOTE, K.D., BAIRD-SNELL, M., GREGORY, T., POLLOCK, I., STEVENS, M.T. & EDWARDS, A.M. Efficacy and acceptability of a new topical skin lotion of sodium cromoglicate (Altoderm) in atopic dermatitis in children aged 2–12 years: a double-blind, randomized, placebo-controlled trial, 334
STÄNDER, S., EVERS, S., METZE, D. & SCHMELZ, M. Neurophysiological evidence for altered sensory function caused by storage of hydroxyethyl starch in cutaneous nerve fibres, 1085
STANGANELLI, I. see STANTE, M.
STANNIGEL, H. see LOHMEIER, K.
STANTE, M., GIORGI, V., STANGANELLI, I., ALFAIOLI, B. & CARLI, P. Dermoscopy for early detection of facial lentigo maligna, 361
STANTON, A.W.B. see HERN, S.
STEBBING, J., GAZZARD, B. & BOWER, M. The role of CD91 and heat shock proteins in psoriasis, 1095
VAN STEENSEL, M.A.M., VAN GEEL, M. & STEIJLEN, P.M. A new type of erythrokeratoderma, 155
STEFANAKI, C., ANTONIOU, C., STEFANAKI, K., STRATIGOS, A., CONSTANTINIDOU, V-V., ARGYRAKOS, T., KARENTZOU, O. & KATSAMBAS, A. Expression of the cyclin-dependent kinase inhibitor $p27^{kip-1}$ in benign naevi and correlation with Ki-67 proliferative index, 373
STEFANAKI, K. see STEFANAKI, C.
STEIJLEN, P.M. see VAN STEENSEL, M.A.M.
STEIJLEN, P.P.M. see LUCKER, G.P.H.
STEIN, J. see HALE, E.K.
STEPHENS, M. see LAUBE, S.
STERRY, W. see LINNEMANN, T.
STEVENS, M.T. see STAINER, R.
STEWART, D.G. see THOMSON, M.A.
STOCKTON, D.L. see MURRAY, C.S.
STOEBNER, P-E., LAVABRE-BERTRAND, T., HENRY, L., GUIRAUD, I., CARILLO, S., DANDURAND, M., JOUJOUX, J-M., BUREAU, J-P. & MEUNIER, L. High plasma proteasome levels are detected in patients with metastatic malignant melanoma, 948
STOLL, M. see FOLSTER-HOLST, R.
STOTT, D.J. see MAURICE, P.D.L.
STOVER, C., BARRETT, S., LYNCH, N.J., BARKER, J.N.W.N., BURDEN, D., TREMBATH, R., SCHWAEBLE, W. & VEAL, C. Functional *MASP2* single nucleotide polymorphism plays no role in psoriasis, 1313
STRATIGOS, A. see STEFANAKI, C.
STRAUSS, R.M., POLLOCK, B., STABLES, G.I., GOULDEN, V. & CUNLIFFE, W.J. Photodynamic therapy using aminolaevulinic acid does not lead to clinical improvement in hidradenitis suppurativa, 803
STROHHÄCKER, U. see BAUER, J.
SUÁREZ-PEÑARANDA, J.M. see VIEITES, B.
SUCHINDRAN, C. see FINE, J-D.
SUDA, T., SUZUKI, Y., MATSUI, T., INOUE, T., NIIDE, O., YOSHIMARU, T., SUZUKI, H., RA, C. & OCHIAI, T. Dapsone suppresses human neutrophil superoxide production and elastase release in a calcium-dependent manner, 887
SUEFUJI, H. see YAMAGUCHI, T.
SUGA, Y. see MURAMATSU, S.
SUGAWARA, H. see YASUKAWA, K.
SUGIURA, H., EBISE, H., TAZAWA, T., TANAKA, K., SUGIURA, Y., UEHARA, M., KIKUCHI, K. & KIMURA, T. Large-scale DNA microarray analysis of atopic skin lesions shows overexpression of an epidermal differentiation gene cluster in the alternative pathway and lack of protective gene expression in the cornified envelope, 146
SUGIURA, M. see ZHENG, S.
SUGIURA, Y. see SUGIURA, H.
SUH, S-B. see PARK, S-G.
SUISSA, D. Surgery for basal cell carcinoma: study biases, 822
SUMIKAWA, Y. see YAMAGUCHI, Y.
SUN, A., WANG, J.T., CHIA, J.S. & CHIANG, C.P. Serum interleukin-8 level is a more sensitive marker than serum interleukin-6 level in monitoring the disease activity of oral lichen planus, 1187
SUN, Y. see JIANG, W.
SUTTON, V.R. see BRENNAND, S.
SUZUKI, H. see SUDA, T.
SUZUKI, M. see YAMADA, T.
SUZUKI, R., MATSUMURA, Y., KAMBE, N., FUJII, H., TACHIBANA, T. & MIYACHI, Y. Erythema multiforme due to progesterone in a low-dose oral contraceptive pill, 370
SUZUKI, T., INAGAKI, K., FUKAI, K., OBANA, A., LEE, S-T. & TOMITA, Y. A Korean case of oculocutaneous albinism type IV caused by a D157N mutation in the *MATP* gene, 174
SUZUKI, Y. see SUDA, T.
SUZUMIYA, J. see YAMAGUCHI, T.
SWAIN, F. see WONG, T.
SYRJÄNEN, S. see IMPOLA, U.
SZEIMIES, R.M. see RADAKOVIC-FIJAN, S.
SZŐCS, H.I. see CSIKÓS, M.

TACHIBANA, T. see SUZUKI, R.
TAIEB, A. see COGREL, O.
TAKAGI, H. see SAEKI, H.
TAKAHAMA, H. see KASHIMA, M.
TAKAHASHI, M. see YAMAGUCHI, Y.
TAKEHARA, K. see YAMADA, M.
TAKIGAWA, M. see HASHIZUME, H.
TAKIGAWA, M. see ITO, T.
TAKIWAKI, H. see MURAO, K.
TAMAKI, K. see MIMURA, Y.
TAMAKI, K. see SAEKI, H.
TAN, B.B. see LAUBE, S.
TAN, E.K.J. see MUKHOPADHYAY, A.
TANAKA, K. see SUGIURA, H.

TANAKA, T. see SAEKI, H.
TANEW, A. see RADAKOVIC-FIJAN, S.
TATNALL, F. see MAURICE, P.D.L.
TAZAWA, T. see SUGIURA, H.
TEBBS, V. see SCHULZE, H.J.
TENA, L.B. see CHINNAIYAN, P.
TEUNISSEN, M.B.M. see BOS, J.D.
TEYSSIER, J-R. see THAUVIN-ROBINET, C.
TEZUKA, T. see SAEKI, H.
THAÇI, D., PÄTZOLD, S., KAUFMANN, R. & BOEHNCKE, W-H. Treatment of psoriasis with alefacept in patients with hepatitis C infection: a report of two cases, 1048
THAÇI, D. see BRILL, T.J.
THAUVIN-ROBINET, C., LAMBERT, D., VAILLANT, G., CAILLIER, P., DONZEL, A., CUSIN, V., HUET, F., TEYSSIER, J-R., MUGNERET, F. & FAIVRE, L. X-linked recessive ichthyosis in a girl: strategy for identifying the causal mechanism, 191
THESTRUP-PEDERSEN, K. see COENRAADS, P.J.
THIBAUT, S., GAILLARD, O., BOUHANNA, P., CANNELL, D.W. & BERNARD, B.A. Human hair shape is programmed from the bulb, 632
THIEBAULT, R. see BEYLOT-BARRY, M.
THIRKILL, C.E. see LADEWIG, G.
THOMPSON, J.M.D. see PURVIS, D.J.
THOMSON, G. see BEATTIE, P.E.
THOMSON, M.A., STEWART, D.G. & LEWIS, H.M. Chronic actinic dermatitis treated with mycophenolate mofetil, 784
THUMIGER, S.P. see EDMONDSON, S.R.
TIGUEMOUNINE, J. see MACHET, L.
TILGEN, W. see LADEWIG, G.
TILLEMAN, M.M. see TILLEMAN, T.R.
TILLEMAN, T.R., TILLEMAN, M.M. & NEUMANN, M.H.A. Minimal bevelling angle in Mohs micrographic surgery cut: a 10° angle is sufficient, 1081
TILLI, C.M.L.J., VAN STEENSEL, M.A.M., KREKELS, G.A.M., NEUMANN, H.A.M. & RAMAEKERS, F.C.S. Molecular aetiology and pathogenesis of basal cell carcinoma, 1108
TOBIN, A.M., COTTER, M., IRVINE, A.D. & KIRBY, B. Successful treatment of a refractory verruca in a child with acute lymphoblastic leukaemia with topical cidofovir, 386
TODA, S. see YAMADA, T.
TODD, G. see GOTTLIEB, A.B.
TOHYAMA, M. see HANAKAWA, Y.
TOHYAMA, M. see HANAKAWA, Y.
TOKUMARU, S. see HANAKAWA, Y.
TOKURA, Y. see SHIMAUCHI, T.
TOMITA, Y. see SUZUKI, T.
TOMITA, Y. see ZHENG, S.
TORII, H. see SAEKI, H.
TORRELO, A. see IGLESIAS, C.
TOSTI, A., BELLAVISTA, S., LONGO, S. & PAZZAGLIA, M. Tendency to underestimate the severity of androgenetic alopecia, 1362
TOSTI, A., IORIZZO, M. & PIRACCINI, B.M. Androgenetic alopecia in children: report of 20 cases, 556
TOSTI, A., PIRACCINI, B.M., VINCENZI, C. & MISCIALI, C. Permanent alopecia after busulfan chemotherapy, 1056
TOSTI, A. see MISCIALI, C.
TOYODA, M. see KIZAWA, K.
TRAPANI, J.A. see BRENNAND, S.
TREHARNE, L.J. see DEGIORGIO-MILLER, A.M.
TRELLES, M.A., ALLONES, I., MORENO-ARIAS, G.A. & VÉLEZ, M. Becker's naevus: a comparative study between erbium: YAG and Q-switched neodymium:YAG; clinical and histopathological findings, 308
TREMBATH, R. see STOVER, C.
TSAI, K-B. see LAN, C-C.E.
TSAI, S-F. see LIN, M-W.
TSETIS, D. see DE BREE, E.
TSIANAKAS, A. & HOEGER, P.H. Transition of pityriasis lichenoides et varioliformis acuta to febrile ulceronecrotic Mucha–Habermann disease is associated with elevated serum tumour necrosis factor-α, 794
TSIANAKAS, A. see MÜLLER, F.B.
TSIFTSIS, D.D. see DE BREE, E.
TSUBAKIMOTO, A. see NIITSUMA, K.
TSUCHIHASHI, H. see MURAMATSU, S.
TSUJI-ABE, Y. see AKIYAMA, M.
TSUNEMI, Y. see SAEKI, H.
TU, Y-T. see LIU, H-J.
TÜTING, T. see SOKOLOWSKA-WOJDYLO, M.
TUTIYA, T. see YAMAGUCHI, T.
TYRING, S. see PAPP, K.A.
TZUNG, T-Y. & WU, J-C. Topical calcineurin inhibitors in treating Jessner's lymphocytic infiltration of the skin: report of a case, 383

UCHIDA, Y. see HAMANAKA, S.
UEDA, M. see KUNISADA, M.
UEHARA, M. see SUGIURA, H.
ULRICH, H. see CORAS, B.
URABE, K. see LIU, H-J.
URABE, K. see SAEKI, H.
URABE, K. see YAMAGUCHI, T.
URING-LAMBERT, B. see BOECKLER, P.

VAILLANT, G. see THAUVIN-ROBINET, C.
VAILLANT, L. see MACHET, L.
VAILLANT, L. see ROGUEDAS, A.M.
VAN DER VALK, P.G.M. see EVERS, A.W.M.
VAN DER WALLE, H. see COENRAADS, P.J.
VAN GEEL, N. see ONGENAE, K.
VAN STEENSEL, M.A.M. see TILLI, C.M.L.J.
VANHOUTTE, F.P. see LUCKER, G.P.H.
VAROTTI, C. see LA PLACA, M.
VARTHALITIS, Y. see DE BREE, E.
VÁZQUEZ-VEIGA, H. see VIEITES, B.
VEAL, C. see STOVER, C.
VÉLEZ, M. see TRELLES, M.A.
VENA, G. see REITAMO, S.
VENKAT, A.P. see FELDMAN, S.R.

VENN, A.J. see HAILEAMLAK, A.
VENTUROLI, S. see LA PLACA, M.
VERFAILLE, C.J. see LUCKER, G.P.H.
VERGIER, B. see BEYLOT-BARRY, M.
VERGIER, B. see COGREL, O.
VIALA, M. see COENRAADS, P.J.
VIDAURRAZAGA, C. see CORRAL DE LA CALLE, M.
VIEITES, B., SUÁREZ-PEÑARANDA, J.M., PÉREZ DEL MOLINO, M.L., VÁZQUEZ-VEIGA, H., PARDO, F., DEL RIO, E., SÁNCHEZ-AGUILAR, D. & FORTEZA, J. Recovery of *Mycobacterium tuberculosis* DNA in biopsies of erythema induratum—results in a series of patients using an improved polymerase chain reaction technique, 1394
VIGAN, M. see AUBIN, F.
VILDÉ, J-L. see AUTIER, J.
VINCENZI, C. see TOSTI, A.
VINCIULLO, C., ELLIOTT, T., FRANCIS, D., GEBAUER, K., SPELMAN, L., NGUYEN, R., WEIGHTMAN, W., SHERIDAN, A., REID, C., CZARNECKI, D. & MURRELL, D. Photodynamic therapy with topical methyl aminolaevulinate for 'difficult-to-treat' basal cell carcinoma, 765
VOEGEL, J.J. see QUEKENBORN-TRINQUET, V.
VOGT, TH. see CORAS, B.
VOLALAKIS, E. see DE BREE, E.
VÖLKER, B. see BREUER, K.
VONDERHEID, E.C., BIGLER, R.D. & HOU, J.S. On the possible relationship between staphylococcal superantigens and increased Vβ5·1 usage in cutaneous T-cell lymphoma, 825
VONGHIA, L. see ABENAVOLI, L.
VORA, J. see BELL, H.K.
VORNANEN, M. see HERVONEN, K.
DE VRIES, E., VAN DE POLL-FRANSE, L.V., LOUWMAN, W.J., DE GRUIJL, F.R. & COEBERGH, J.W.W. Predictions of skin cancer incidence in the Netherlands up to 2015, 481
VUKMANOVIC-STEJIC, M. see BIRCH, K.E.

WACHSMUTH, R. see YUNG, A.
WALDEN, P. see LINNEMANN, T.
WALLIN, B.G. see KROGSTAD, A.L.
WANG, J.T. see SUN, A.
WANG, T. see GU, X.
WARWICK, D.J. see JOSEPH, T.
WASSERMAN, D. see MORLEY, S.M.
WATANABE, K. see OKIYAMA, N.
WATIER, H. see ROGUEDAS, A.M.
WEBER, A., HEGER, S., SINKGRAVEN, R., HECKMANN, M., ELSNER, P. & RZANY, B. Psychosocial aspects of patients with focal hyperhidrosis. Marked reduction of social phobia, anxiety and depression and increased quality of life after treatment with botulinum toxin A, 342
WEI, E. see ZBYTEK, B.
WEIGHTMAN, W. see VINCIULLO, C.
WEINER, M. see FINE, J-D.
WELLER, R. U.S. experience of immunomodulators in the treatment of psoriasis, 817
WELLS, P. see CERIO, R.
WELSH, J.S. see CHINNAIYAN, P.
WEN, C-H. see LAN, C-C.E.
WENZEL, J. see SOKOLOWSKA-WOJDYLO, M.
WERFEL, T. see BREUER, K.
WERTHER, G.A. see EDMONDSON, S.R.
WESTERGAARD, M. see JOHANSEN, C.
WESTERMAN, D. see BRENNAND, S.
WEWERINKE, M. see SINCLAIR, R.
WHITE, M.I. see MORLEY, S.M.
WHITTAKER, S.J. see LAUBE, S.
WIKONKAL, N.M. see ASPLUND, A.
WILD, C.J. see PURVIS, D.J.
WILLEMZE, R. see JANSSENS, A.S.
WILLEMZE, R. see KENNEDY, C.
WILLIAMS, H.C. see FLOHR, C.
WILLIAMS, H.C. see HAILEAMLAK, A.
WILLIAMS, H.C. see ORMEROD, A.D.
WILSON, N.J.E. see BELL, H.K.
WIMMERSHOFF, M.B. see KÖLLNER, K.
WINFIELD, A. see ORMEROD, A.D.
WINHOVEN, S.M., AHMED, I., OWEN, C.M. & LEAR, J.T. Postinflammatory hyperpigmentation in an Asian patient: a dramatic response to oral isotretinoin (13-cis-retinoic acid), 368
WOLDEMARIAM, D. see HAILEAMLAK, A.
WOLF, P. see HOFER, A.
WOLFF, K., FLEMING, C., HANIFIN, J., PAPP, K., REITAMO, S., RUSTIN, M., SHEAR, N., SILNY, W., KORMAN, N., MARKS, I., CHERILL, R., EMADY-AZAR, S. & PAUL, C. For the Multicentre Investigator Group. Efficacy and tolerability of three different doses of oral pimecrolimus in the treatment of moderate to severe atopic dermatitis: a randomized controlled trial, 1296
WOLTER, M. see BRILL, T.J.
WOLTER, M. see REIFENBERGER, J.
WONG, C-K. see LIN, M-W.
WONG, T., SWAIN, F. & CALONGE, E. Nicorandil-associated perianal ulceration with prominent elastophagocytosis and flexural ulceration, 1360
WONG, T-W., ZHAO, Y-L., SEN, A. & HUI, S.W. Pilot study of topical delivery of methotrexate by electroporation, 524
WOOD, M.L. see SLADDEN, M.J.
WOOD, S.M. see ROGERS, P.J.
WORTSMAN, J. see ZBYTEK, B.
WRAIGHT, C.J. see EDMONDSON, S.R.
WRANGSJÖ, K. see MEDING, B.
WU, C-S. see LAN, C-C.E.
WU, J-C. see TZUNG, T-Y.

XIANG, L.H. see ZHANG, Z.H.
XIAO, F.L. see GAO, M.
XU, S.J. see GAO, M.
XU, S.J. see ZHANG, Z.H.

YAGI, H. see HASHIZUME, H.
YAGUCHI, H. see MURAMATSU, S.

YAHATA, Y. see HANAKAWA, Y.
YAMADA, M., HATTA, N., MIZUNO, M., OISHI, N. & TAKEHARA, K. Weekly low-dose docetaxel in the treatment of lung metastases from angiosarcoma of the head, 811
YAMADA, T., SUZUKI, M., HIRAGA, M., TODA, S., FUJIMOTO, M., OHTSUKI, M., KIYOSAWA, T., HARADA, S. & NAKAGAWA, H. Squamous cell carcinoma arising on scars of epidermolysis bullosa acquisita, 588
YAMAGUCHI, T., OHSHIMA, K., KARUBE, K., TUTIYA, T., KAWANO, R., SUEFUJI, H., SHIMIZU, A., NAKAYAMA, J., SUZUMIYA, J., MOROI, Y., URABE, K., FURUE, M., KOGA, T. & KIKUCHI, M. Clinicopathological features of cutaneous lesions of adult T-cell leukaemia/lymphoma, 76
YAMAGUCHI, Y., KUBO, T., MURAKAMI, T., TAKAHASHI, M., HAKAMATA, Y., KOBAYASHI, E., YOSHIDA, S., HOSOKAWA, K., YOSHIKAWA, K. & ITAMI, S. Bone marrow cells differentiate into wound myofibroblasts and accelerate the healing of wounds with exposed bones when combined with an occlusive dressing, 616
YAMAGUCHI, Y., SUMIKAWA, Y., YOSHIDA, S., KUBO, T., YOSHIKAWA, K. & ITAMI, S. Prevention of amputation caused by rheumatic diseases following a novel therapy of exposing bone marrow, occlusive dressing and subsequent epidermal grafting, 664
YAMAMOTO, S. see SAEKI, H.
YAMAMOTO, T. see OKIYAMA, N.
YAMANAKA, M. see HAMANAKA, S.
YAMANE, K. see MIMURA, Y.
YAMASAKI, K. see HANAKAWA, Y.
YAMASAKI, K. see HANAKAWA, Y.
YAMASAKI, O., MORIZANE, S., AKIYAMA, H., IWATSUKI, K., KANEKO, J. & KAMIO, Y. Tendon destruction induced by Panton–Valentine leukocidin-positive Staphylococcus aureus in a patient with Sézary syndrome, 586
YAMAUCHI, P.S. see LOWE, N.J.
YAMAZAKI, S. see OHTSUKA, T.
YAN, K.L. see GAO, M.
YANAGIHARA, M. see AKIYAMA, M.
YANG, J.M. see LEE, K.M.
YANG, S. see GAO, M.
YANO, K., KADOYA, K., KAJIYA, K., HONG, Y-K. & DETMAR, M. Ultraviolet B irradiation of human skin induces an angiogenic switch that is mediated by upregulation of vascular endothelial growth factor and by downregulation of thrombospondin-1, 115
YAOSAKA, M. see AKIYAMA, M.
YASUE, S. see ZHENG, S.
YASUKAWA, K., SAWAMURA, D., SUGAWARA, H. & KATO, N. Leuprorelin acetate granulomas: case reports and review of the literature, 1045
YASUMOTO, S. see LIU, H-J.
YAZAWA, N. see MIMURA, Y.
YENI, P. see AUTIER, J.
YIN, W-G. see ZHANG, X-N.
YOKOZEKI, H., NIIYAMA, S. & NISHIOKA, K. Twenty-nail dystrophy (trachyonychia) caused by lichen planus in a patient with gold allergy, 1089
YOKOZEKI, H. see OKIYAMA, N.
YOSHIDA, S. see YAMAGUCHI, Y.
YOSHIKAWA, K. see YAMAGUCHI, Y.
YOSHIMARU, T. see SUDA, T.
YU, H-S. see LAN, C-C.E.
YUAN, W.T. see ZHANG, Z.H.
YUN, M. see CHO, S.B.
YUN, S-K. see CHO, S.B.
YUNG, A., WACHSMUTH, R., RAMNATH, R., MERCHANT, W., MYATT, A.E. & SHEEHAN-DARE, R. Eosinophilic angiocentric fibrosis—a rare mucosal variant of granuloma faciale which may present to the dermatologist, 574

ZAGHLOUL, S.S., CUNLIFFE, W.J. & GOODFIELD, M.J.D. Objective assessment of compliance with treatments in acne, 1015
ZAMBRANO, A. see IGLESIAS, C.
ZBYTEK, B., PIKULA, M., SLOMINSKI, R.M., MYSLIWSKI, A., WEI, E., WORTSMAN, J. & SLOMINSKI, A.T. Corticotropin-releasing hormone triggers differentiation in HaCaT keratinocytes, 474
ZEITOUNI, N.C., DAWSON, K. & CHENEY, R.T. Treatment of cutaneous metastatic melanoma with imiquimod 5% cream and the pulsed-dye laser, 376
ZELGER, B. see RATZINGER, G.
ZERBINI, M. see LA PLACA, M.
ZHANG, J. see ZHANG, Z.H.
ZHANG, X.J. see GAO, M.
ZHANG, X-N., HE, X-H., LAI, Z., YIN, W-G., LE, Y-P., GUO, J-M., MAO, W., HE, X-L. & LI, J-C. An insertion-deletion mutation in keratin 9 in three Chinese families with epidermolytic palmoplantar keratoderma, 804
ZHANG, Z.H., NIU, Z.M., YUAN, W.T., ZHAO, J.J., JIANG, F.X., ZHANG, J., CHAI, B., CUI, F., CHEN, W., LIAN, C.H., XIANG, L.H., XU, S.J., LIU, W.D., ZHENG, Z.Z. & HUANG, W. A mutation in *SART3* gene in a Chinese pedigree with disseminated superficial actinic porokeratosis, 658
ZHAO, J.J. see ZHANG, Z.H.
ZHAO, Y-L. see WONG, T-W.
ZHENG, S., ADACHI, A., SHIMIZU, M., SHIBATA, S-I., YASUE, S., SAKAKIBARA, A., SUGIURA, M., NAGASAKA, T. & TOMITA, Y. Human papillomaviruses of the mucosal type are present in some cases of extragenital Bowen's disease, 1243
ZHENG, Z.Z. see ZHANG, Z.H.
ZHU, X.J. see JIANG, W.
ZITNIK, R. see PAPP, K.A.
ZOUBOULIS, C.C. see HUSAK, R.
ZULTAK, M. see COENRAADS, P.J.
ZWINGERS, T. see RADAKOVIC-FIJAN, S.

Subject index

acne
 efficacy of issuing management guidelines to GPs (Correspondence) 1392
 influence of genetic factors in teenagers (Correspondence) 579
 objective assessment of treatment compliance 1015
 ophthalmic herpes zoster reactivation following laser therapy (Correspondence) 569
 prevalence among university students between 1948 and 1968 (Correspondence) 824
 utility of studying ocular surface in isotretinoin therapy (Correspondence) 576
acquired symmetrical dermal melanocytosis developing after aggravated atopic dermatitis 903
acrodermatitis continua of Hallopeau, acquired syndactyly secondary to (Correspondence) 1083
actinic dermatitis, chronic, mycophenolate mofetil treatment (Case Report) 784
acute lymphoblastic leukaemia in childhood, treatment of refractory verruca with topical cidofovir (Correspondence) 386
adalimumab
 in extensive plaque psoriasis (Correspondence) 1091
 response of systemic pyoderma gangrenosum (Case Report) 1059
 treatment of refractory rheumatoid arthritis-associated leg ulcers (Correspondence) 1062
adipocytes, expression of early markers of differentiation in sebaceous gland cells (Abstract) 856
adult T-cell leukaemia/lymphoma
 clinicopathological features of cutaneous lesions 76
 purpuric, CD4/CD8 double-negative malignant T cells (Case Report) 350
age and lack of changes in scalp hair follicle density 646
air flow, effect on sodium lauryl sulphate-induced barrier disruption 1230
albinism, oculocutaneous, Korean case caused by *MATP* gene mutation (Gene Corner) 174
alcohol intolerance associated with tacrolimus in infants receiving ethanol-containing medication (Correspondence) 569
alefacept therapy of psoriasis with hepatitis C infection (Case Report) 1048
allergens, contribution of cutaneous interleukin-10 to polarisation of immune responses to (Abstract) 840
allergic contact dermatitis, murine model, effects of topical nanocrystalline silver cream 1237
allergy patch tests, simultaneous sodium lauryl sulphate testing and diagnostic validity 709
allopurinol treatment of silicone-associated *in situ* and distant foreign body granulomas (Correspondence) 1064
alopecia
 permanent, following busulfan chemotherapy (Case Report) 1056
 see also androgenetic alopecia
alopecia areata, need for guidelines and evidence-based dermatology (Correspondence) 1086
amyloidosis
 familial primary cutaneous, linkage to locus on chromosome 1q23 29
 hereditary gelsolin, cutis laxa in 250
anal ulceration, chronic nicorandil-induced (Correspondence) 809
androgenetic alopecia
 in childhood (Case Report) 556
 study of patterns in men (Correspondence) 572
 tendency to underestimate severity (Correspondence) 1362
angiokeratoma, Fabry disease and enzyme replacement therapy (Correspondence) 177, (Correspondence) 178
angiolymphoid hyperplasia with eosinophilia, severe aortic atherosclerosis and peripheral T-cell lymphoma (Case Report) 1033
angiosarcoma, lung metastases, weekly low-dose docetaxel treatment (Correspondence) 811
anti-agalactosyl IgG antibodies, serum levels in mixed connective tissue disease (Correspondence) 806
antiageing products, extended fibrillin assay for assessment (Abstract) 849
antiandrogens, oral, in treatment of female pattern hair loss 466
antigen-presenting cells, activation and expression of CD91 during induction of psoriasis 1213
antiphospholipid syndrome with interstitial granulomatous dermatitis (Correspondence) 814
antirenal antibody incidence in melanoma 931
anxiety, effect on T-helper 2-tilted immune responses in atopic dermatitis 1161
aortic atherosclerosis with peripheral T-cell lymphoma, angiolymphoid hyperplasia and eosinophilia (Case Report) 1033
apocrine hidrocystoma of the tip of a finger (Correspondence) 379
apoptosis, nitric oxide suppression following UV irradiation (Abstract) 847
aquagenic palmoplantar keratoderma, botulinum toxin in (Correspondence) 394
arsenic exposure as risk factor for skin cancer (Correspondence) 194
arteritis, cannabis (Case Report) 166
atopic dermatitis
 analysis of asthma and high serum IgE associated (Abstract) 850

childhood
induction of lentigines by topical tacrolimus (Case Report) 152
topical sodium cromoglicate skin lotion 334
effect of anxiety on T-helper 2-tilted immune responses 1161
effect of tacrolimus on expression of eotaxin, CCR3, RANTES and IL-5 1173
Ethiopian children, validation of ISAAC and UK criteria 735
and the hygiene hypothesis (Review) 202
impact on quality of life 289
long-term ciclosporin therapy, lymphomatoid papulosis associated (Case Report) 1347
moderate to severe
long-term tacrolimus treatment 1284
oral pimecrolimus therapy 1298
night-to-night variation of disease activity in children (Abstract) 852
nonsyndromic, lack of association with *SPINK5* polymorphisms (Correspondence) 1365
overexpression of epidermal differentiation genes and lack of expression of cornified envelope genes (Concise Communication) 146
perianal, pimecrolimus cream (Correspondence) 186
prevalence in Japanese elementary schoolchildren 110
and psychological distress in adults 1277
risk factors in New Zealand children at 3.5 years of age 742
T cell responses to Der p 1 (Abstract) 841
topical corticosteroids, once-daily vs. more frequent use 130
ATP2A2
effects of drugs and anticytokine antibodies on expression in normal human keratinocytes 920
effects of UVB irradiation, proinflammatory cytokines and raised extracellular calcium concentration on expression 697
ATP2C1
effects of drugs and anticytokine antibodies on expression in normal human keratinocytes 920
effects of UVB irradiation, proinflammatory cytokines and raised extracellular calcium concentration on expression 697
Axl, increased expression in squamous cell carcinoma (Abstract) 843

B-cell lymphoma, primary cutaneous, intralesional rituximab therapy (Case Report) 541
basal cell carcinoma
chemical exposure as risk factor (Correspondence) 194
'difficult to treat', photodynamic therapy 765
molecular aetiology and pathogenesis (Review) 1108
novel *in vitro* modelling (Abstract) 856
sporadic, somatic mutations in *PTCH*, *SMOH*, *SUFUH* and *TP53* genes 43
superficial, imiquimod cream treatment 939
surgery, study biases (Correspondence) 822, (Correspondence) 823
Becker's naevus, laser therapy 308
bexarotene
lack of apoptosis in Sézary cells following oral therapy 1199
with PUVA in mycosis fungoides (Correspondence) 1379
Birt–Hogg–Dubé syndrome, detection of 1733insC mutations in Asian family (Concise Communication) 142
blood flow in psoriatic plaques before and after selective treatment of superficial capillaries 60
blood pressure, salt sensitivity in psoriasis patients on ciclosporin therapy (Concise Communication) 773
bone marrow biopsy in Sézary syndrome with mycosis fungoides (Correspondence) 1378
bone marrow cell differentiation into wound myofibroblasts and acceleration of healing of wounds with exposed bones 616
botulinum toxin
in aquagenic palmoplantar keratoderma (Correspondence) 394
lack of compensatory sweating after treatment of palmar hyperhidrosis 329
Bowen's disease
extragenital, presence of mucosal type of human papillomaviruses 1245
sole (Case Report) 170
BP180, autoantibody detection by immunoblot analysis (Abstract) 846
BP230, autoantibody detection by immunoblot analysis (Abstract) 846
brachydactyly, congenital, with nail hypoplasia (Case Report) 1340
British Association of Dermatologists, updates from Annual Meeting 13
British Journal of Dermatology 1
British Society for Investigative Dermatology, Annual Meeting abstracts 830
bullous pemphigoid, human herpesvirus in lesions (Correspondence) 375
bullous pemphigoid antigen 1 isoforms as potential new target autoantigens in multiple sclerosis (Concise Communication) 537
busulfan chemotherapy, permanent alopecia following (Case Report) 1056

c-Myc, ectopic expression, effect on hair growth cycle and sebaceous glands 1125
CADASIL (Case Report) 346
calcineurin inhibitors, topical, in treatment of Jessner's lymphocytic infiltration (Correspondence) 383
calcinosis cutis, dystrophic, prevention by *myo*-inositol hexaphosphate-based cream 1022
calcitretin, as marker of companion cell layer of human hair follicle (Concise Communication) 1317
calcitriol, response of Hailey–Hailey disease (Correspondence) 816
calcium, raised extracellular concentration, effect on expression of *ATP2A2* and *ATP2C1* 697
cannabis arteritis (Case Report) 166

cathepsin C homozygous mutation in Haim–Munk syndrome (Case Report) 353
CCR3, effect of tacrolimus on expression in atopic dermatitis 1173
CCR4, expression by circulating clonal CLA+ and CD4+ T cells in Sézary syndrome 258
CCR7, expression by circulating clonal CLA+ and CD4+ T cells in Sézary syndrome 258
CCR10, expression by circulating clonal CLA+ and CD4+ T cells in Sézary syndrome 258
CD44, restored epidermal expression with topical retinaldehyde application in lichen sclerosus et atrophicus (Correspondence) 570
CD91
 expression by APCs during induction of psoriasis 1213
 role in psoriasis 1095
cheek, multiple dermoid cysts (Correspondence) 1387
chemokine receptors, expression by circulating clonal CLA+ and CD4+ T cells in Sézary syndrome 258
chemotherapy associated with sclerotic and retracted supravenous hyperpigmentation (Correspondence) 41014
childhood
 androgenetic alopecia (Case Report) 556
 atopic dermatitis, induction of lentigines by topical tacrolimus (Case Report) 152
 inflammatory and hyperkeratotic halo naevus (Case Report) 357
 melanoma outcomes and pathological review (Concise Communication) 1322
 mycosis fungoides (Correspondence) 565
 prevalence of atopic dermatitis in Japanese elementary schoolchildren 110
chloracne, health status and plasma dioxin levels 20 years after Seveso 459
chromoblastomycosis, unusual clinical manifestations (Case Report) 560
chronic skin disease and psychological distress in adults 1277
chymase in chronic leg ulcers 1149
ciclosporin
 long-term therapy in atopic dermatitis, lymphomatoid papulosis associated (Case Report) 1347
 in psoriasis (Correspondence) 811
  salt sensitivity of blood pressure (Concise Communication) 773
cidofovir
 in treatment of refractory HPV-associated warts in HIV infection (Correspondence) 590
 in treatment of refractory verruca in childhood acute lymphoblastic leukaemia (Correspondence) 386
claudins, tight junction expression and effect of exogenous TNF-α exposure (Abstract) 835
clinical trials, compulsory registration 859
clofazimine treatment of relapsing idiopathic nodular panniculitis (Correspondence) 582
coeliac disease and psoriasis (Correspondence) 1393
COL7A1 gene mutations
 in central Europe 879
 in recessive dystrophic epidermolysis bullosa of Hallopeau–Siemens (Gene Corner) 1358
cold, sequential application with sodium lauryl sulphate, and decrease in irritation and barrier disruption 702
collision tumour, cutaneous (Case Report) 787
complement deficiency as risk factor for cutaneous lupus erythematosus in men 265
conjugated linoleic acids, photoprotective properties (Abstract) 839
connexin-26, evidence for key role in early epidermal differentiation (Abstract) 855
connexin-31
 mutation, and erythrokeratoderma variabilis (Correspondence) 1072
 as regulator of epidermal differentiation and tissue homeostasis (Abstract) 835
cornified envelope genes, lack of expression in atopic dermatitis (Concise Communication) 146
corticosteroids
 topical, once-daily vs. more frequent use in atopic dermatitis 130
 topical non-prescription, patients' experiences of use 1193
corticotropin-releasing hormone, differentiation of HaCaT keratinocytes triggered by 474
cosmetic antiageing products, extended fibrillin assay for assessment (Abstract) 849
Cre-loxP adenovirus-mediated foreign gene expression in skin-equivalent keratinocytes (Correspondence) 1391
cutaneous collision tumour (Case Report) 787
cutaneous lupus erythematosus, complement deficiency and cigarette smoking as risk factors 265
cutaneous T-cell lymphoma
 follicular, isotretinoin treatment of persisting cysts and comedones (Correspondence) 193
 possible relationship between staphylococcal superantigens and increased Vβ5.1 usage (Correspondence) 825, (Correspondence) 827
cutis laxa in hereditary gelsolin amyloidosis 250
cytokines, proinflammatory, effect on expression of *ATP2A2* and *ATP2C1* 697

dapsone suppression of neutrophil superoxide production and elastase release in a calcium-dependent manner 887
Darier's disease in Singapore 284
Der p 1, T cell responses to in severe atopic dermatitis (Abstract) 841
dermatitis herpetiformis, lymphoma in patients and first-degree relatives 82
dermatomyositis, juvenile, with 22q11.2 deletion syndrome (Correspondence) 1370
dermoid cysts, multiple, on the cheek (Correspondence) 1387
dermoscopy
 discrimination of images of pigmented skin lesions (Correspondence) 395

dysplastic naevus vs. *in situ* melanoma 679
in early detection of facial lentigo maligna (Case Report) 361
of skin lesions in xeroderma pigmentosum 271
surveillance of patients at high risk for cutaneous malignant melanoma 87
desmoplakin downregulation by RNA interference in HaCaT keratinocytes (Abstract) 834
dioxin plasma levels in chloracne cases 20 years after Seveso 459
diphencyprone, urticaria as side-effect of therapy of resistant viral warts (Correspondence) 583
dissecting cellulitis of the scalp, modern external beam radiotherapy (Concise Communication) 777
disseminated superficial actinic porokeratosis, *SART3* gene mutation in Chinese pedigree 658
dithranol induction of cytochrome c release, caspase-3 activation and apoptosis in keratinocytes (Abstract) 837
docetaxel
in anthracycline-pretreated AIDS-related Kaposi's sarcoma (Concise Communication) 1026
weekly low-dose treatment in lung metastases from angiosarcoma (Correspondence) 811
drug hypersensitivity, usefulness of skin tests 968
dysplastic naevus, dermoscopy analysis 679
dystrophic calcinosis cutis, prevention by *myo*-inositol hexaphosphate-based cream 1022
dystrophic epidermolysis bullosa, computational prediction of cryptic splicing mutations in COL7A1 gene (Abstract) 844

eccrine porocarcinoma, positron emission tomography (Correspondence) 372
eccrine poroma
advanced malignant, locoregional chemotherapy (Case Report) 1051
pigmented, with enhanced endothelin-1 expression (Correspondence) 1070
eccrine sweat glands, clear reticulated cytoplasm (Correspondence) 389
ectodermal dysplasia with eye defects (Case Report) 365
elafin expression in extramammary Paget's disease (Correspondence) 578
eosinophilic angiocentric fibrosis (Correspondence) 574
eosinophilic pustular folliculitis, transdermal nicotine patches in (Correspondence) 1074
eotaxin, effect of tacrolimus on expression in atopic dermatitis 1173
epidermal cyst, HPV 60+, at non palmoplantar location (Correspondence) 1361
epidermal differentiation gene overexpression in atopic dermatitis (Concise Communication) 146
epidermis, evidence for key role of connexin-26 in early differentiation (Abstract) 855
epidermolysis bullosa, inherited, impact on parental interpersonal relationships, marital status and family size 1009
epidermolysis bullosa acquisita, squamous cell carcinoma arising in scar from (Correspondence) 588
epidermolysis bullosa pruriginosa, thalidomide in management (Case Report) 1333
epidermolytic hyperkeratosis with severe palmoplantar hyperkeratosis and contractures of the digits, novel keratin 1 mutation (Correspondence) 1087
epidermolytic palmoplantar keratoderma, keratin 9 mutation in three Chinese families (Correspondence) 804
epithelioid blue naevus, isolated multiple (Correspondence) 391
Erb-B2 expression in normal human skin and cutaneous carcinomas 1250
ERBIN expression in normal human skin and cutaneous carcinomas 1250
ERK1/2 in lesional psoriatic skin 37
erythema, UV-induced, and variation in skin thickness (Abstract) 853
erythema induratum, recovery of *Mycobacterium tuberculosis* DNA in biopsies (Correspondence) 1394
erythema multiforme due to progesterone in a low-dose oral contraceptive (Correspondence) 370
erythrokeratoderma, new type (Case Report) 155
erythrokeratoderma variabilis
and connexin 31 mutation (Correspondence) 1072
new recurrent mutation of *GJB3* 1143
etanercept
global phase III randomized controlled trial of dose reduction in psoriasis 1306
safety and efficacy in plaque psoriasis (Correspondence) 187
Ethiopia, childhood atopic dermatitis, validation of ISAAC and UK criteria 735
eumelanin concentrations in human epidermis before and after UVB irradiation (Abstract) 851
exanthematous pustulosis
acute generalized, terbinafine-induced (Case Report) 780
acute localized, secondary to levofloxacin (Correspondence) 1076
extracorporeal photopheresis in treatment of nephrogenic fibrosing dermopathy (Concise Communication) 531
extramammary Paget's disease, elafin expression (Correspondence) 578

Fabry disease, angiokeratoma and enzyme replacement therapy (Correspondence) 177, (Correspondence) 178
familial primary cutaneous amyloidosis, linkage to locus on chromosome 1q23 29
fogo selvagem, increased activity of plasma kininase II and plasma, tissue and salivary kallikreins 650
fos activation and inducible conditional PTEN gene knockout (Abstract) 845
FOXM1B transcription factor enhancement of DNA repair and suppression of UVB-induced apoptosis (Abstract) 842
fumarate hydratase missense mutations in multiple cutaneous and uterine leiolyomatosis and renal cell cancer (Abstract) 845

fumaric acid esters
in noninfectious granulomatous skin disease 1292
in pityriasis rubra pilaris (Correspondence) 388
furocoumarin, dietary, effect on erythema response in high-dose UVA phototherapy (Abstract) 852

gall bladder carcinoma with scleredema (Correspondence) 1373
gene delivery, microneedle facilitated (Abstract) 846
general practitioners, efficacy of issuing acne management guidelines to (Correspondence) 41640
glucosylceramide, preferential accumulation in lamellar bodies in differentiated keratinocytes 426
glutathione enhancement of fibroblast collagen contraction and protection of keratinocytes from apoptosis in hyperglycaemic culture 217
gold allergy and lichen planus, twenty-nail dystrophy associated (Correspondence) 1089
granuloma
leuprorelin acetate (Case Report) 1045
silicone-associated in situ and distant foreign body (Correspondence) 1064
granuloma annulare
disseminated, pimecrolimus cream in treatment (Correspondence) 1364
recalcitrant disseminated, improvement following infliximab treatment (Case Report) 552

Hailey–Hailey disease, response to calcitriol (Correspondence) 816
Haim–Munk syndrome, homozygous cathepsin C mutation (Case Report) 353
hair
effect of ectopic c-Myc expression on growth cycle 1125
female pattern loss, treatment with oral antiandrogens 466
shape programmed from bulb 632
hair follicles
calcitretin as marker of companion cell layer (Concise Communication) 1317
cultured human anagen, interferon-γ as inducer of catagen-like changes 623
scalp, lack of changes in density with advancing age 646
halo naevus, inflammatory and hyperkeratotic in childhood (Case Report) 357
hamartoma of the nail unit (Correspondence) 1077
hand eczema
fifteen year follow-up study 975
getting to grips with 199
hand eczema severity index 302
occupational, relation between diagnoses on severity, sick leave and job loss 93
photographic guide for severity assessment 296
heat shock proteins in psoriasis 1095
HECSI 302
Henoch–Schönlein purpura, prevalence of human parvovirus B19 NS1 gene (Correspondence) 1080
hepatitis C
induction of Meyerson's phenomenon by IFN-α plus ribavirin (Correspondence) 182
with psoriasis, alefacept therapy (Case Report) 1048
hereditary gelsolin amyloidosis, cutis laxa in 250
herpes zoster, ophthalmic, reactivation following laser therapy of acne (Correspondence) 569
hidradenitis suppurativa, lack of clinical improvement with photodynamic therapy (Correspondence) 803
hirsutism with polycystic ovary syndrome, laser therapy 986
histiocytosis, intravascular, with rheumatoid arthritis (Correspondence) 1385
HIV infection, refractory HPV-associated warts, cidofovir treatment (Correspondence) 590
human herpesvirus in bullous pemphigoid lesions (Correspondence) 375
human papillomavirus
eccrine-centred distribution in plantar epidermis 993
epidermal cyst and wart at nonpalmoplantar location (Correspondence) 1361
mucosal type in extragenital Bowen's disease 1245
plantar epidermoid cyst associated 961
presence of high-risk mucosal genotypes in acquired dysplastic melanocytic naevi and melanoma 909
type 16 in Bowen's disease of the sole (Case Report) 170
hydroxyethyl starch
pruritus due to (Review) 3
storage in cutaneous nerve fibres and altered sensory function (Correspondence) 1085
hyperhidrosis
focal, psychosocial aspects (Concise Communication) 342
palmar, lack of compensatory sweating after botulinum toxin treatment 329
hyperpigmentation
mechanism of (Correspondence) 1070
postinflammatory in an Asian patient following oral isotretinoin (Correspondence) 368
sclerotic and retracted supravenous associated with combination chemotherapy for metastatic breast carcinoma (Correspondence) 1383
hypersensitivity vasculitis, prevalence of human parvovirus B19 NS1 gene (Correspondence) 1080
hypocalcaemia, pustular psoriasis-like eruption induced by (Correspondence) 591

ichthyosis
topical liarozole therapy (Correspondence) 566
X-linked recessive in a girl (Correspondence) 191
ichthyosis bullosa of Siemens, molecular genetic testing and correct diagnosis (Case Report) 1347
IGFBP-3, localization to and modulation of proliferative epidermal keratinocytes 225
imiquimod
with laser therapy in cutaneous metastatic melanoma (Correspondence) 376

treatment of recalcitrant cutaneous warts in immunosuppression 122
treatment of superficial basal cell carcinoma 939
immunomodulators in treatment of psoriasis, US experience (Correspondence) 817, (Correspondence) 818
immunosuppression, imiquimod treatment of recalcitrant cutaneous warts 122
infant, premature, toxic epidermal necrolysis (Case Report) 150
inflammatory and hyperkeratotic halo naevus in childhood (Case Report) 357
infliximab
and quality of life in psoriasis 954
response of systemic pyoderma gangrenosum (Case Report) 1059
treatment of recalcitrant disseminated granuloma annulare (Case Report) 552
insect repellent, evaluation of concurrent use with sunscreen preparations 1258
insulin-like growth factor binding protein-3, localization to and modulation of proliferative epidermal keratinocytes 225
insulin-like growth factor-II regulation of vascular endothelial growth factor expression in human keratinocytes 418
interferon-α
effects on cytotoxic mediator expression in mononuclear cells in melanoma 690
pegylated, induction of sarcoidosis (Correspondence) 377
interferon-α
as inducer of catagen-like changes in cultured human anagen hair follicles 623
as mediator of keratinocyte apoptosis and role in autocrine IFN-γ and TNF-α production 1134
interleukins
IL-5, effect of tacrolimus on expression in atopic dermatitis 1173
IL-6, as marker of disease activity in oral lichen planus 1187
IL-8, as marker of disease activity in oral lichen planus 1187
IL-10, cutaneous, contribution to polarisation of immune responses to chemical contact and respiratory allergens (Abstract) 840
International Study of Asthma and Allergies in Children, validation of criteria for atopic dermatitis in Ethiopian children 735
interstitial granulomatous dermatitis with antiphospholipid syndrome (Correspondence) 814
intravascular histiocytosis with rheumatoid arthritis (Correspondence) 1385
ISAAC, validation of criteria for atopic dermatitis in Ethiopian children 735
isotretinoin
postinflammatory hyperpigmentation following oral therapy in an Asian patient (Correspondence) 368
in treatment of acne, utility of studying ocular surface (Correspondence) 576
in treatment of persisting cysts and comedones in follicular cutaneous T-cell lymphoma (Correspondence) 193

Japan, prevalence of atopic dermatitis in elementary schoolchildren 110
Jessner's lymphocytic infiltration, treatment with topical calcineurin inhibitors (Correspondence) 383
juvenile dermatomyositis with 22q11.2 deletion syndrome (Correspondence) 1370

kallikreins, increased activity in pemphigus foliaceus 650
Kaposi's sarcoma, AIDS-related, docetaxel following anthracycline pretreatment (Concise Communication) 1026
keloids, conditioned medium from keratinocyte/fibroblast coculture, induction of contraction of fibroblast-populated collagen lattices 639
keratinocytes
Cre-loxP adenovirus-mediated foreign gene expression (Correspondence) 1391
effects of drugs and anticytokine antibodies on *ATP2A2* and *ATP2C1* expression 920
expression of Notch receptors during terminal differentiation (Abstract) 857
functional effects of pachyonychia congenita mutations on migration and proliferation (Abstract) 835
generation of stable knockdown in cell lines using retrovirus-mediated RNA interference (Abstract) 846
HaCaT
analysis of genes responding to UVB irradiation 52
differentiation triggered by corticotropin-releasing hormone 474
downregulation of desmoplakin by RNA interference in (Abstract) 834
interferon-γ as mediator of apoptosis 1134
induction of cytochrome c release, caspase-3 activation and apoptosis by dithranol (Abstract) 837
induction of neuronal phenotype (Abstract) 844
inhibition of calcium-independent phospholipase A impairs lysophosphatidic acid-induced calcium entry (Abstract) 836
proliferative epidermal, IGFBP-3 localization to and modulation of 225
regulation of vascular endothelial growth factor expression by IGF-II 418
keratins
keratin 9 mutation in three Chinese families with epidermolytic palmoplantar keratoderma (Correspondence) 804
novel keratin 1 mutation in epidermolytic hyperkeratosis with severe palmoplantar hyperkeratosis and contractures of the digits (Correspondence) 1087
severe pachyonychia congenita due to proline mutation in keratin 6a (Gene Corner) 800
kininase II, plasma, increased activity in pemphigus foliaceus 650

laminin α3, novel multiple isoforms and range of tissue-specific functions (Abstract) 834
Langerhans cells
differential effects of chemical contact and respiratory sensitizers in migration and maturation (Abstract) 855
impaired migration in psoriasis (Abstract) 837
regulation of longevity by TRANCE and TRANCE receptors (Abstract) 841
laser Doppler imaging in plaque psoriasis 1182
laser therapy
acne, ophthalmic herpes zoster reactivation following (Correspondence) 569
Becker's naevus 308
comparison with narrowband UVB in treatment of psoriasis 750
hirsute women with polycystic ovary syndrome 986
with imiquimod in cutaneous metastatic melanoma (Correspondence) 376
low level, and wound healing in leg ulcers (Correspondence) 1368
quantification of structural abnormalities in psoriatic microvessels before and after therapy 505
vitiligo, optimal weekly frequency 981
leg ulcers
low level laser therapy (Correspondence) 1368
mast cell tryptase and chymase 1149
refractory rheumatoid arthritis-associated, treatment with adalimumab (Correspondence) 1062
legionnaires' disease, fatal fulminant, in patient with severe erythrodermic psoriasis (Correspondence) 585
LEKTI, and skin barrier integrity, action via PAR-2 signalling pathway (Abstract) 851
lentigines, induction by topical tacrolimus in childhood atopic dermatitis (Case Report) 152
lentigo maligna, facial, early detection by dermoscopy (Case Report) 361
leuconychia totalis and partialis, idiopathic (Correspondence) 401
leuprorelin acetate granuloma (Case Report) 1045
levofloxacin, acute localized exanthematous pustulosis secondary to (Correspondence) 1076
liarozole, topical therapy in ichthyosis (Correspondence) 566
lichen planus
erosive vulval, lack of association with oncogenic mucosal HPV (Correspondence) 1367
with gold allergy, twenty-nail dystrophy associated (Correspondence) 1089
oral, disease activity monitoring with serum IL-8 and IL-6 1187
progressive linear, and metastatic carcinoma (Correspondence) 399
lichen sclerosus et atrophicus, restored epidermal CD44 expression with topical retinaldehyde application (Correspondence) 570
lip, mucous melanoma, dermoscopic and histopathological findings (Case Report) 1325
lipodermatosclerosis, procollagen type I gene expression and cell proliferation in 242
liver, replacement of routine biopsy by procollagen III aminopeptide for monitoring methotrexate therapy 444
lung metastases from angiosarcoma, weekly low-dose docetaxel treatment (Correspondence) 811
lymphoma
cutaneous, with paraneoplastic pityriasis lichenoides (Case Report) 1328
malignant, presentation as cutaneous granulomatous vasculitis (Correspondence) 820
in patients with dermatitis herpetiformis and their first-degree relatives 82
lymphomatoid annular erythema (Correspondence) 565
lymphomatoid papulosis associated with long-term ciclosporin therapy in atopic dermatitis (Case Report) 1347

Madurella mycetomatis mycetoma, treatment with oral voriconazole (Correspondence) 1067
malignant carcinoid syndrome, cutaneous manifestations 71
MASP2, single nucleotide polymorphism in psoriasis (Concise Communication) 1314
mastocytosis, diffuse cutaneous, psoralen photochemotherapy (Correspondence) 179
matrix metalloproteinase expression and malignant progression in chronic wounds 720
melanocortin-1 receptor genotype and phaeomelanin/eumelanin ratio in untanned Caucasian skin (Abstract) 836
melanocytic naevi
acquired dysplastic, presence of high-risk mucosal human papillomavirus genotypes 909
due to single genetic mutations 896
large congenital, association with melanoma and neurocutaneous melanocytosis 512
melanocytic nests, characterization by confocal reflectance microscopy (Correspondence) 384
melanocytosis, neurocutaneous, associated with large congenital melanocytic naevi and melanoma 512
melanoma
antirenal antibody incidence 931
association with neurocutaneous melanocytosis and large congenital melanocytic naevi 512
chemical exposure as risk factor (Correspondence) 194
childhood outcomes and pathological review (Concise Communication) 1322
circulating vascular endothelial growth factor in 685
comparison of ultrasound lymph node examination and clinical examination in follow-up 66
cytotoxic mediator expression in mononuclear cells and effects of IFN-α treatment 690
dermoscopy analysis 679
desmoplastic 673
metastatic, high plasma proteasome level detection 948
microarray analysis of phosphatase gene expression 925
mortality in Spain 997

mucous of the lip, dermoscopic and histopathological findings (Case Report) 1325
presence of high-risk mucosal human papillomavirus genotypes 909
sentinel node biopsy (Correspondence) 176
skin ultrasound screening (Abstract) 851
surveillance of patients at high risk using digital dermoscopy 87
thick 104
treatment with imiquimod and laser therapy (Correspondence) 376
methotrexate
monitoring therapy 451
noninvasive monitoring of hepatotoxicity 405
replacement of routine liver biopsy by procollagen III aminopeptide for monitoring therapy in psoriasis 444
topical delivery by electroporation 524
Meyerson's phenomenon induced by IFN-α plus ribavirin in hepatitis C (Correspondence) 182
microneedle facilitated gene delivery (Abstract) 846
mitogen-activated protein kinases in lesional psoriatic skin 37
mixed connective tissue disease, serum levels of anti-agalactosyl IgG antibodies (Correspondence) 806
Mohs' micrographic surgery, minimal bevelling angle (Correspondence) 1081
monochromatic excimer light delivery system evaluation in dermatology 99
Mucha–Habermann disease, febrile ulceronecrotic, transition from pityriasis lichenoides et varioliformis acuta associated with elevated TNF-α (Case Report) 794
Muir–Torre syndrome phenotypes on two Italian families (Case Report) 1336
multiple sclerosis, bullous pemphigoid antigen 1 isoforms as potential new target autoantigens (Concise Communication) 537
mycetoma
Madurella mycetomatis, treatment with oral voriconazole (Correspondence) 1067
Nocardia veterana (Case Report) 1350
mycobacterial infections, cutaneous nontuberculous, clinical patterns 727
Mycobacterium tuberculosis, recovery of DNA in biopsies of erythema induratum (Correspondence) 1394
Mycobacterium w vaccine, role in management of psoriasis (Correspondence) 380
mycophenolate mofetil in treatment of chronic actinic dermatitis (Case Report) 784
mycosis fungoides
juvenile (Correspondence) 565
mimicking facial erysipelas (Correspondence) 1381
and Sézary syndrome, necessity of bone marrow biopsy (Correspondence) 1378
treatment with bexarotene and PUVA (Correspondence) 1379
myo-inositol hexaphosphate-based cream in prevention of dystrophic calcinosis cutis 1022
myofibroblasts, wound, differentiation from bone marrow cells and acceleration of healing of wounds with exposed bones 616

naevi, benign, $p27^{kip-1}$ expression (Correspondence) 373
naevoid basal cell carcinoma syndrome with segmental vitiligo (Correspondence) 812
naevus of Hori developing after aggravated atopic dermatitis 903
nail hypoplasia with congenital brachydactyly (Case Report) 1340
nail unit hamartoma (Correspondence) 1077
nanocrystalline silver, effects of topical cream on inflammatory cytokines and inflammatory cell apoptosis in murine model of allergic contact dermatitis 1237
natural killer-cell lymphoma, CD56- blastic (Correspondence) 369
necrobiosis lipoidica, chronic ulcerated, treatment with topical tacrolimus (Correspondence) 581
nephrogenic fibrosing dermopathy, treatment with extracorporeal photopheresis (Concise Communication) 531
Netherlands, prediction of skin cancer incidence to 2015 481
Netherton syndrome in Taiwanese siblings with staphylococcal scalded skin syndrome and *SPINK5* mutation (Case Report) 159
neurocutaneous melanocytosis associated with large congenital melanocytic naevi and melanoma 512
neutrophils, skin-infiltrating, role in photoageing following exposure to solar-stimulated radiation 321
New Zealand, risk factors for atopic dermatitis children at 3.5 years of age 742
nicorandil
chronic anal ulceration due to (Correspondence) 809
perianal ulceration with prominent elastophagocytosis and flexural ulceration (Correspondence) 1360
nicotine transdermal patches in eosinophilic pustular folliculitis (Correspondence) 1074
nitric oxide suppression of apoptosis in human skin following UV irradiation (Abstract) 847
Nocardia veterana mycetoma (Case Report) 1350
nodular panniculitis, relapsing idiopathic, treatment with clofazimine (Correspondence) 582
Notch receptor expression during terminal differentiation of keratinocytes (Abstract) 857

oculocutaneous albinism, Korean case caused by *MATP* gene mutation (Gene Corner) 174
onychoblastoma (Correspondence) 1077
ophthalmic herpes zoster reactivation following laser therapy of acne (Correspondence) 569
oral cavity lichen planus, disease activity monitoring with serum IL-8 and IL-6 1187
oral contraceptive, erythema multiforme due to progesterone (Correspondence) 370
oral erosive eczema, xylitol-induced (Correspondence) 821

oxidative stress, UVA-induced, electrochemical measurement and flow cytometry (Abstract) 839

$p21^{Waf1/Cip1}$, effect of UVA1, UVB and solar-stimulated radiation (Abstract) 849, 1001
$p27^{kip-1}$ expression in benign naevi (Correspondence) 373
p38 in lesional psoriatic skin 37
p53, effect of UVA1, UVB and solar-stimulated radiation (Abstract) 849, 1001
pachyonychia congenita
functional effects of mutations on keratinocyte migration and proliferation (Abstract) 835
severe case due to proline mutation in keratin 6a (Gene Corner) 800
Paget's disease, extramammary, elafin expression (Correspondence) 578
Pakistan, incidence of xeroderma pigmentosum (Case Report) 545
paraneoplastic pityriasis lichenoides in cutaneous lymphoma (Case Report) 1328
parvovirus B19
altered prevalence of component genes in systemic sclerosis (Correspondence) 1078
prevalence of NS1 gene in Henoch–Schönlein purpura and hypersensitivity vasculitis (Correspondence) 1080
and systemic sclerosis (Correspondence) 819
patch tests, simultaneous sodium lauryl sulphate testing and diagnostic validity 709
pemphigus foliaceus, increased activity of plasma kininase II and plasma, tissue and salivary kallikreins 650
penile squamous cell carcinoma and use of topical tacrolimus (Correspondence) 183
phaeomelanin, determination of concentrations in human epidermis before and after UVB irradiation (Abstract) 851
phaeomelanin/eumelanin ratio in untanned Caucasian skin, and melanocortin-1 receptor genotype (Abstract) 836
phenytoin, mechanisms of drug processing and presentation in cutaneous immune responses to (Abstract) 855
phosphatase, microarray analysis of gene expression in melanoma 925
phospholipase A, calcium independent, inhibition impairs lysophosphatidic acid-induced calcium entry in keratinocytes (Abstract) 836
photoageing, role of skin-infiltrating neutrophils following exposure to solar-stimulated radiation 321
photocarcinogenic risk of narrowband UVB phototherapy 755
photodynamic therapy
chronic ulcers (Abstract) 841
'difficult to treat' basal cell carcinoma 765
lack of clinical improvement in hidradenitis suppurativa (Correspondence) 803
topical, in psoriasis 279
phototherapy
comparison of narrowband UVB with laser therapy in treatment of psoriasis 750
effect of dietary furocoumarin on erythema response (Abstract) 852
effects on erythema in polymorphic light eruption (Abstract) 844
effects on UVB-induced Langerhans cell, CD11b+ and iC3b+ cell trafficking in polymorphic light eruption (Abstract) 839
photocarcinogenic risk of narrowband UVB 755
psoriasis (Correspondence) 1376
pigmented lesion clinic, utility of Wood's light (Case Report) 1039
pigmented skin lesions, discrimination of dermoscopic images (Correspondence) 395
pilomatrixoma, benign, aberrantly differentiated cells 314
pimecrolimus
in disseminated granuloma annulare (Correspondence) 1364
in moderate to severe atopic dermatitis 1298
in moderate to severe chronic plaque-type psoriasis 1221
in perianal atopic dermatitis (Correspondence) 186
in steroid-induced rosacea (Correspondence) 396
pioglitazone in psoriasis (Correspondence) 189
pityriasis lichenoides, paraneoplastic, in cutaneous lymphoma (Case Report) 1328
pityriasis lichenoides et varioliformis acuta, transition to febrile ulceronecrotic Mucha–Habermann disease associated with elevated serum TNF-á (Case Report) 794
pityriasis rubra pilaris, fumaric acid ester therapy (Correspondence) 388
plantar epidermoid cyst associated with human papillomavirus 961
platinum(IV) photoactivated anticancer complexes (Abstract) 857
polycystic ovary syndrome, laser therapy of hirsutism 986
polymorphic light eruption
effects of phototherapy on erythema (Abstract) 844
effects of phototherapy on UVB-induced Langerhans cell, CD11b+ and iC3b+ cell trafficking (Abstract) 839
impact on quality of life across seasons and latitudes in Europe (Abstract) 853
normalized UV induction of Langerhans cell depletion and neutrophil infiltrates after artificial UVB hardening 1270
and partial failure of UV-induced immunosuppression (Abstract) 850
porokeratosis, common skin cancers in (Correspondence) 1393
positron emission tomography, eccrine porocarcinoma (Correspondence) 372
postinflammatory hyperpigmentation in an Asian patient following oral isotretinoin (Correspondence) 368
premature infant, toxic epidermal necrolysis (Case Report) 150
primary biliary cirrhosis, treatment of pruritus with topical tacrolimus (Correspondence) 808
primary cutaneous B-cell lymphoma, intralesional rituximab therapy (Case Report) 541

procollagen I gene expression in lipodermatosclerosis 242
procollagen III aminopeptide
 normal serum assay in methotrexate therapy 451
 replacement of routine liver biopsy for monitoring methotrexate therapy in psoriasis 444
progesterone in a low-dose oral contraceptive, erythema multiforme due to (Correspondence) 370
proteasomes, high plasma level detection in metastatic malignant melanoma 948
pruritus
 due to hydroxyethyl starch (Review) 3
 in primary biliary cirrhosis, treatment with topical tacrolimus (Correspondence) 808
psoriasis
 activation of APCs expressing CD91 during induction 1213
 ApoE single nucleotide polymorphisms and acitretin therapy (Abstract) 849
 blood flow in plaques before and after selective treatment of superficial capillaries 60
 ciclosporin therapy (Correspondence) 811
  salt sensitivity of blood pressure (Concise Communication) 773
 clinical management decisions and impact on patient-rated quality of life 1251
 and coeliac disease (Correspondence) 1393
 comparison of laser therapy and narrowband UVB in treatment 750
 dysregulation of innate immunity (Topical Review) 1098
 gene expression profiles 489
 generalized pustular, tacrolimus treatment (Correspondence) 587
 global phase III randomized controlled trial of etanercept dose reduction 1306
 with hepatitis C infection, alefacept therapy (Case Report) 1048
 impact on quality of life 289
 impaired Langerhans cell migration (Abstract) 837
 infliximab treatment and quality of life 954
 lack of role for functional *MASP2* single nucleotide polymorphism (Concise Communication) 1314
 mitogen-activated protein kinases p38 and ERK1/2 in lesional skin 37
 novel autoantigens in proteome of epidermis (Abstract) 837
 overexpression of TNF-α-converting enzyme 915
 phototherapy (Correspondence) 1376
 pioglitazone therapy (Correspondence) 189
 plaque
  abundance in serum of IgGs reactive with *S. pyogenes*-secreted proteins (Abstract) 838
  adalimumab therapy (Correspondence) 1091
  dual-wavelength laser Doppler imaging 1182
  oral pimecrolimus treatment 1221
  safety and efficacy of etanercept (Correspondence) 187
  traditional therapies in moderate to severe chronic (Review) 597
 and psychological distress in adults 1277
quantification of structural abnormalities in microvessels before and after laser therapy 505
replacement of routine liver biopsy by procollagen III aminopeptide for monitoring methotrexate therapy 444
role of CD91 and heat shock proteins 1095
role of *Mycobacterium w* vaccine in management (Correspondence) 380
Self-Administered Area and Severity Index as measure of severity (Correspondence) 382
severe, and the Rule of Tens (Review) 861
severe erythrodermic, fatal fulminant legionnaires' disease following infliximab and steroid therapy (Correspondence) 585
topical photodynamic therapy 279
treatment with topical sirolimus 758
unilateral remission following traumatic nerve palsy (Correspondence) 185
US experience of immunomodulators in treatment (Correspondence) 817, (Correspondence) 818
psychological distress in adults with chronic skin disease 1277
psychosocial aspects of focal hyperhidrosis (Concise Communication) 342
PTCH gene
 codon 1315 polymorphism and risk for nonmelanoma skin cancer 868
 somatic mutation in sporadic basal cell carcinoma 43
PTEN gene inducible conditional knockout and fos activation (Abstract) 845
punctate dysplastic keratoses and sunbed use (Correspondence) 1374
punctate palmoplantar keratoderma, refined localization of gene 874
PUVA
 with bexarotene in mycosis fungoides (Correspondence) 1379
 in diffuse cutaneous mastocytosis (Correspondence) 179
pyoderma gangrenosum, systemic, response to infliximab and adalimumab (Case Report) 1059

quality of life
 impact of chronic urticaria, psoriasis and atopic dermatitis 289
 impact of polymorphic light eruption on across seasons and latitudes in Europe (Abstract) 853
 and infliximab treatment in psoriasis 954
 patient-related in psoriasis, impact on clinical management decisions 1258
 self-reported health-related, effect of vitiligo 1165

radiotherapy, modern external beam, in dissecting cellulitis of the scalp (Concise Communication) 777
RANTES, effect of tacrolimus on expression in atopic dermatitis 1173
recessive dystrophic epidermolysis bullosa of Hallopeau–Siemens

novel heterozygous mutations in COL7A1 in a Chinese patient (Gene Corner) 1358
preimplantation genetic diagnosis (Abstract) 842
retinaldehyde, restored epidermal CD44 expression with topical application in lichen sclerosus et atrophicus (Correspondence) 570
retinoic acid, suppression of telomerase activity in HSC-1 squamous cell carcinoma 435
retinoids, oral, in prevention of skin cancer in organ transplant recipients 518
rheumatic diseases, prevention of amputation by novel therapy 664
rheumatoid arthritis with intravascular histiocytosis (Correspondence) 1385
rituximab, intralesional therapy in primary cutaneous B-cell lymphoma (Case Report) 541
rosacea, steroid-induced, pimecrolimus cream treatment (Correspondence) 396
Rule of Tens and severe psoriasis (Review) 861

S100A2 protein, in benign pilomatrixoma 314
S100A3 protein, in benign pilomatrixoma 314
S100A6 protein, in benign pilomatrixoma 314
sarcoidosis, induction by pegylated interferon-α (Correspondence) 377
SART3 gene mutation in Chinese pedigree of disseminated superficial actinic porokeratosis 658
scalp
dissecting cellulitis, modern external beam radiotherapy (Concise Communication) 777
lack of changes in hair follicle density with advancing age 646
scleredema with gall bladder carcinoma (Correspondence) 1373
scleroderma, localized, response to occlusive treatment with tacrolimus (Correspondence) 180
Scotland, prospective study of skin cancer referrals to a dermatology department (Correspondence) 1065
sealpox, human (Case Report) 791
sebaceous glands
enlargement due to ectopic c-Myc expression 1125
expression of early markers of adipocyte differentiation (Abstract) 856
segmental vitiligo with naevoid basal cell carcinoma syndrome (Correspondence) 812
Self-Administered Area and Severity Index as measure of severity in psoriasis (Correspondence) 382
sentinel node biopsy in primary cutaneous melanoma (Correspondence) 176
serum and glucocorticoid dependent kinase signalling with response to environmental stimuli (Abstract) 854
Seveso, health status and plasma dioxin levels in chloracne cases 20 years later 459
Sézary cells, lack of apoptosis following oral therapy with bexarotene 1199
Sézary syndrome
and mycosis fungoides, necessity of bone marrow biopsy (Correspondence) 1378
S. aureus-induced tendon destruction in (Correspondence) 586
T cell expression of CCR4, CCR7 and CCR10 258
SGK signalling with response to environmental stimuli (Abstract) 854
silicone, *in situ* and distant foreign body granuloma due to (Correspondence) 1064
Singapore, Darier's disease 284
sirolimus, development and trial of psoriasis treatment 758
skin cancer
expression of Erb-B2 and ERBIN 1250
in organ transplant recipients (Abstract) 840
in porokeratosis (Correspondence) 1389
prediction of incidence in the Netherlands to 2015 481
prevention in organ transplant recipients by oral retinoids 518
prospective study of referrals to a Scottish dermatology department (Correspondence) 1065
and *PTCH* codon 1315 polymorphism 868
and sunbed use (Correspondence) 1374
see also specific types
Smith–Lemli–Opitz syndrome, phototesting and sensitivity to UVA (Abstract) 848
SMOH gene somatic mutation in sporadic basal cell carcinoma 43
smoking as risk factor for cutaneous lupus erythematosus in men 265
sodium cromoglicate, topical skin lotion in childhood atopic dermatitis 334
sodium lauryl sulphate
barrier disruption induced by, effects of air flow at different temperatures 1230
sequential application with cold, and decrease in irritation and barrier disruption 702
simultaneous testing and diagnostic validity of allergic patch tests 709
sole, Bowen's disease (Case Report) 170
Spain, mortality from melanoma 997
SPINK5
lack of association of polymorphisms with nonsyndromic atopic dermatitis (Correspondence) 1365
mutation in Taiwanese siblings with Netherton syndrome (Case Report) 159
squamous cell carcinoma
arising in scar of epidermolysis bullosa acquisita (Correspondence) 588
chemical exposure as risk factor (Correspondence) 194
increased Axl expression (Abstract) 843
mechanisms of migration and invasion in an *in vitro* model (Abstract) 843
penis, and use of topical tacrolimus (Correspondence) 183
retinoic acid suppression of telomerase activity 435
staphylococcal scalded skin syndrome in Taiwanese siblings with Netherton syndrome (Case Report) 159

staphylococcal superantigens, possible relationship with increased Vβ5.1 usage in cutaneous T-cell lymphoma (Correspondence) 825, (Correspondence) 827
Staphylococcus aureus, Panton–Valentine leukocidin+, tendon destruction induced by in Sézary syndrome (Correspondence) 586
stratum corneum, disruption by microfabricated microneedles for gene delivery from hydrogels (Abstract) 842
SUFUH gene somatic mutation in sporadic basal cell carcinoma 43
sunbed use and distribution of punctate dysplastic keratoses and skin cancer (Correspondence) 1374
sunscreens, evaluation of concurrent use with insect repellent 1265
syndactyly, acquired, secondary to acrodermatitis continua of Hallopeau (Correspondence) 1083
syphilis, extensive annular verrucous late secondary (Case Report) 1344
systemic sclerosis
 altered prevalence of parvovirus B19 component genes (Correspondence) 1078
 and parvovirus B19 (Correspondence) 819

T cells
 CD4/CD8 double-negative malignant, expansion in purpuric adult T-cell leukaemia/lymphoma (Case Report) 350
 dendritic epidermal, effect of vitamin D receptor ablation on homeostasis 231
 Fel d 1 specific CD8+, identification in cat allergic and non-atopic individuals (Abstract) 853
 investigation of varicella zoster virus-specific responses (Abstract) 847
 regulatory, immunomodulatory effects (Review) 409
 responses to Der p 1 in severe atopic dermatitis (Abstract) 841
T-cell lymphoma
 peripheral, with aortic atherosclerosis and angiolymphoid hyperplasia with eosinophilia (Case Report) 1033
 posttransplant primary cutaneous CD30(Ki-1)+ anaplastic large (Correspondence) 1068
tacrolimus
 alcohol intolerance associated in infants receiving ethanol-containing medication (Correspondence) 569
 effect on expression of eotaxin, CCR3, RANTES and IL-5 in atopic dermatitis 1173
 induction of lentigines by in childhood atopic dermatitis (Case Report) 152
 long-term treatment in moderate to severe atopic dermatitis 1284
 response of localized scleroderma to occlusive treatment (Correspondence) 180
 topical use and squamous cell carcinoma of the penis (Correspondence) 183
 in treatment of chronic ulcerated necrobiosis lipoidica (Correspondence) 581
 in treatment of generalized pustular psoriasis (Correspondence) 587
 in treatment of pruritus in primary biliary cirrhosis (Correspondence) 808
tanning
 comparison of methods of measurement (Abstract) 854
 determination of magnitude (Abstract) 852
terbinafine, acute generalized exanthematous pustulosis induced by (Case Report) 780
thalidomide in management of epidermolysis bullosa pruriginosa (Case Report) 1333
thrombospondin-1-mediated UVB-induced angiogenic switch in human skin 115
toxic epidermal necrolysis in premature infant (Case Report) 150
TP53 gene somatic mutation in sporadic basal cell carcinoma 43
trachyonychia due to lichen planus in gold allergy (Correspondence) 1089
TRANCE and TRANCE receptor expression in human epidermis and regulation of Langerhans cell longevity (Abstract) 841
transplant recipients
 development of cutaneous malignancies (Abstract) 840
 oral retinoids in prevention of skin cancer 518
tryptase in chronic leg ulcers 1149
tumour necrosis factor-α
 elevated serum levels associated with transition from pityriasis lichenoides et varioliformis acuta to febrile ulceronecrotic Mucha–Habermann disease (Case Report) 794
 role of interferon-γ in autocrine production 1134
tumour necrosis factor-α-converting enzyme overexpression in psoriasis 915
22q11.2 deletion syndrome with juvenile dermatomyositis (Correspondence) 1370
twenty-nail dystrophy due to lichen planus in gold allergy (Correspondence) 1089

ulcers, chronic, novel antimicrobial photodynamic approach (Abstract) 841
ultraviolet radiation
 effect of UVA1, UVB and solar-stimulated radiation on p53 and $p21^{Waf1/Cip1}$ 1001
 erythema induced by, and variation in skin thickness (Abstract) 853
 normalized UV induction of Langerhans cell depletion and neutrophil infiltrates after artificial UVB hardening in polymorphic light eruption 1270
 UVB
  analysis of genes responding to in HaCaT keratinocytes 52
  effect of irradiation on expression of *ATP2A2* and *ATP2C1* 697
  human skin irradiation induced angiogenic switch mediated by VEGF and thrombospondin-1 115

urticaria
chronic, impact on quality of life 289
as side-effect of diphencyprone therapy of resistant viral warts (Correspondence) 583

vascular endothelial growth factor (VEGF)
circulating, in cutaneous malignant melanoma 685
mediation of UVB-induced angiogenic switch in human skin 115
psoriasiform inflammation induced by ameliorated by VEGF receptor-3 blockade (Abstract) 838
regulation of expression in human keratinocytes by IGF-II 418
vasculitis, hypersensitivity, prevalence of human parvovirus B19 NS1 gene (Correspondence) 1080
VEGF *see* vascular endothelial growth factor
verruca, refractory, in child with acute lymphoblastic leukaemia, treatment with topical cidofovir (Correspondence) 386
vitamin D receptor, effect of ablation on skin architecture and homeostasis of dendritic epidermal T cells 231
vitiligo
effect on self-reported health-related quality of life 1165
laser therapy, optimal weekly frequency 981
melanocyte and keratinocyte culture on plasma polymers for treatment (Abstract) 856
polymorphism in gene encoding tyrosine phosphatase (Abstract) 848
segmental, with naevoid basal cell carcinoma syndrome (Correspondence) 812
voriconazole, in treatment of *Madurella mycetomatis* mycetoma (Correspondence) 1067
vulval erosive lichen planus, lack of association with oncogenic mucosal HPV (Correspondence) 1367
vulval intraepithelial neoplasia, chromosomal abnormalities (Abstract) 858

warts
in HIV infection, cidofovir treatment (Correspondence) 590
HPV 60+, at non palmoplantar location (Correspondence) 1361
recalcitrant cutaneous in immunosuppression, imiquimod therapy 122
ubiquitous presence on human skin, need for better direction of papillomavirus research (Correspondence) 393
urticaria as side-effect of diphencyprone therapy (Correspondence) 583
Werner syndrome, compound heterozygous mutation and *WRN* transcript decay (Concise Communication) 1030
Wood's light, utility in pigmented lesion clinic (Case Report) 1039
wounds
chronic, matrix metalloproteinase expression and malignant progression 720
quantitative reinnervation and revascularisation (Abstract) 847

X-linked recessive ichthyosis in a girl (Correspondence) 191
xeroderma pigmentosum
dermoscopy of skin lesions 271
incidence in Pakistan (Case Report) 545
xylitol-induced oral erosive eczema (Correspondence) 821